

MADE IN FRANCE SINCE 1964




Car Body Welding System

Catalogue Carrosserie
Karosserie-Schweißtechnik Katalog
Catálogo de Soldadura para Carrocería

SPOTTER • DENT PULLER • MIG • PLASMA • INDUCTION • LIFT • RIVETING • ACCESSORIES

2018B

www.gys.fr



A family firm since 1964

Une société familiale depuis 1964
Familienunternehmen seit 1964
Una empresa familiar desde 1964
Un'azienda familiare dal 1964
Een familiebedrijf sinds 1964



40 000 m²
400 000 sqf 

8 

630+ 


120 

Partenaires • Partners • Asociados • Partner



High tech R&D

R&D de pointe
Hochmodernes F&E
I+D de tecnología punta
R&S di punta
Hoogwaardige R&D



GYS Academy

Académie • Akademie
Academia • Accademia
Academy

Centre de formation agréé
Training centre dedicated to professionals
Trainingcenter für Profis
Centro de formación autorizado
Centro di formazione dedicato ai professionisti
Erkend opleidingscentrum

Formations agréées
Ref. 52 53 0068153




Electronics • Électronique • Elektronik



Painting • Peinture • Lackierstraße



Cable work • Filerie • Kabelkonfektionierung



Mechanical engineering • Mécanique • CNC-Bearbeitung



Metal work • Tôlerie • Blechbearbeitung



Transformers • Transformateurs • Transformatoren



Assembly • Montage/tests • Montage






OPTION
Chariot- trolley
UNIVERSAL 800
051331

 MADE IN FRANCE	MADE IN GYS CHINA	 CE NORM. 62135		I_2 max	U_2	I RMS	kW			MANUAL	SYNERGIC													
			50/60 Hz	A	V	A		A	AUTOMATIC	MANUAL		SEPARATE CABLE GUN				cm	kg							
▪	▪	GYSPT 2600	230V	2600	5,4	16	1800	10	OK	—	▪	—	—	—	▪	—	—	1,8 m	Auto	—	2 m	Option Spotter box 2600	20 x 32 x 18	15
▪	▪	GYSPT 2700	230V	2600	5,4	16	1800	10	OK	—	▪	—	▪	—	—	▪	—	1,8 m	—	▪	2 m	Option Spotter box 2700	20 x 32 x 18	14.5
▪		GYSPT 39.02	230V	3800	7,4	16	2800	20	OK	OK	—	▪	▪	▪	—	▪	2 m	Auto	—	4 m	Included Spotter box	22,5 x 36 x 23,5	22	
▪		GYSPT 39.04	400 V, 2ph	3800	7,4	16	2800	20	OK	OK	—	▪	▪	▪	—	▪	2 m	Auto	—	4 m	Included Spotter box	22,5 x 36 x 23,5	20	



	GYS	GYSPOT PRO 230	Acier/Steel /Stahl	230V	052178
	GYS	GYSPOT PRO 400	Acier/Steel /Stahl	400V	052185
	2	3 800 A			
	GUNS				



	GYS	GYSPOT EXPERT 200	Acier/Steel /Stahl	200/240V	058842
	GYS	GYSPOT EXPERT 400	Acier/Steel /Stahl	400V	058859
	2	4 500 A			
	GUNS				



INCLUDED
MANUAL QUICK GUN (2m / Ø 70 mm²)
057524



INCLUDED
AUTOMATIC QUICK GUN (3m / Ø 50 mm²)
057500

+ INCLUDED
SPOTTER BOX PRO
050075
Details p.17



INCLUDED
MANUAL QUICK GUN (2m / Ø 70 mm²)
057524



INCLUDED
AUTOMATIC QUICK GUN (3m / Ø 70 mm²)
059207

+ INCLUDED
SPOTTER BOX PRO
050075
Details p.17



OPTION - Chariot- trolley
GYSPOT PRO & EXPERT



UNIVERSAL
800
051331



SPOT
1000
053540

QUICK GUN

**QUICK
& EASY**
Gyspot 2600/2700
Gyspot 39.02/04
Gyspot PRO 230/400
Gyspot EXPERT 200/400
Gyspot COMBI 230 E.PRO



			I ₂ max	U ₂		I RMS	kW				SYNERGIC			SEPARATE CABLE GUN						
MADE IN FRANCE	62135	50/60 Hz	A	V	A	A		OK	OK	—	■	■	■	■	2 m + 3 m	Auto	■	8 m	22,5 x 36 x 23,5	20.5
GYSPOT PRO 230		230V	3800	7,4	16	2800	20	OK	OK	—	■	■	■	■	2 m + 3 m	Auto	■	8 m	22,5 x 36 x 23,5	20.5
GYSPOT PRO 400		400V, 2ph	3800	7,4	16	2800	20	OK	OK	—	■	■	■	■	2 m + 3 m	Auto	■	8 m	22,5 x 36 x 23,5	20.5
GYSPOT EXPERT 200		200 > 240 V	4350 > 5100	7,2 > 8,7	30(D)	3100 > 3600	25 > 36	OK	OK	■	■	■	■	■	2 m + 3 m	Auto	■	8 m	22,5 x 36 x 23,5	33
GYSPOT EXPERT 400		400V, 2ph	4500	7,4	16(D)	3200	25	OK	OK	■	■	■	■	■	2 m + 3 m	Auto	■	8 m	22,5 x 36 x 23,5	28



GYSPOT COMBI 230 E.PRO

021266

Acier/Steel
/Stahl



Alu

230V

3 800 A

7 500 A




INCLUDED

SPOTTER BOX PRO 050075
+ ALU BOX STANDARD 050020

Details 14-15

QUICK GUN



2 m
Ø 70 mm²

**NEW
DESIGN**
66 000 µF

3 GUNS INCLUDED



3 m
Ø 50 mm²

**INCLUDED
QUICK AUTOMATIC
GUN**
057500

Acier/Steel/Stahl
Automatic



PATENTS REGISTERED NUMBERS
00183045-0001
EUROPEAN TRADEMARK & DESIGN

**INCLUDED
MANUAL
QUICK GUN**
057524

Acier/Steel/Stahl
Manual

2 m
Ø 70 mm²

**INCLUDED
AUTOMATIC
ALU GUN**
054066

Alu
Automatic

 MADE IN FRANCE	 62135		I ₂	SYNER- GIC			SEPARATE CABLE GUN	U ₂			kW				
		50/60 Hz	A		Acier/Steel	Alu		V	A	A				cm	kg
GYSPOT COMBI 230 E.PRO		230 V	3800 (steel) 7500 (alu)	▪  AUTOMATIC + MANUAL	AUTOMATIC	▪	7,4 (steel) 20 x 200 (alu)	16	2800 (steel)	20	OK	OK	45 x 43 x 29	42.5	

**EASY TOOL
CONNECTION**

for Gyspot
39.02/04,
PRO 230/400,
EXPERT 200/400,
COMBI 230 PRO

3 m
Ø 35 mm²

051690

051584
380 g

Anneaux
- Rings
- Anschweißösen
051652

Fils ondulés
- Wavy wires
- Wellendraht
051669

Rétreinte
- Tempering
- Glättwerkzeug
051676

Poignée de
tirage manuel
057289

EASYGUN
051317

Box of 3
electrodes for
accessories
050822

MANUSPOT =
050679

MANULINER
050471


Tools set & support
for SPOT 600, 800, 1000, 1600,
Workstation & Dentstation

EASYGUN



PATENTS REGISTERED NUMBERS
001652108-0003
EUROPEAN TRADEMARK & DESIGN


MANULINER/GUN
056831



Adaptateur pistolet -
Gun adapter
included
052499

4 positions • 4 Positionen

Direct impact electrodes
(x5)
050839



RINGMATIC
052154

included
(x 50)



Adaptateur
pistolet - Gun
adapter
included
052499



LAMPE LIGNE DROITE
- Straight line lamp - Dentline-laser

056770



QUICK SPOT AIR GUN V2

057340

LIGHT
920 g

2,5 m



Adaptateur pistolet - Gun adapter
052826

Pneumatic
SPOT ROTATE

MARTEAUX INERTIE
- Slide hammers - Ausziehhammer

COMPLETE
057272



Clous - Nails - Nägel




Rondelles - Washers - Ringe








Griffes - Gripping hook head - Ausbeulkit

COMPLETE KIT
051225



BASIC



Griffes - Gripping hook head - Ausbeulkit



PREMIUM

NEW
09/2018


ULTRA LIGHT

ULTRA ERGONOMIC

ULTRA RESISTANT
No deformation

PERFECT BALANCE





Slide & Lock



Full rotation



Multi positions



Options



Compatibility

BASIC


PREMIUM

PREMIUM

BASIC PREMIUM

BASIC PREMIUM

BASIC PREMIUM



CONSOMMABLES ACIER - Steel consumables - Stahl-Verbrauchsmaterial



BEST
SELLER

DENT BOX BAR
050037



SPOTTER BOX 2600
052277



SPOTTER BOX 2700
053922

SPOTTER BOX
STANDARD
053915

x 25		WAVY WIRES x 50 049727	x 25
x 50		STRAIGHT PULLING RINGS x100 050648	x 50
x 1		LIFTING ROD 180 mm -x3 : 180, 300 & 500 mm : 050792	x 1
x 1		ELECTRODE FOR WAVY WIRES x1 049789	x 1
x 1		ELECTRODE FOR RINGS x1 050655	x 1

x 20		STAR WITH COPPER COATING x 20 052239	Dent Box Easy x 10 Spotter Box Pro x 20
x 1		ELECTRODE FOR RINGS ø 16 - 8 x 16 x 1 049574	x 1
x 50		CENTERING RINGS ø 8 x 16 x 100 049444	x 50
x 1		EARTH HOOK x 1 056718	x 1
x 1		CARBON HEATING ELECTRODE x 5 049468	x 1
x 1		STAR-CHUCK FOR INERTIA HAMMER x 1 049482	x 1
x 1		HEXAGON KEY	x 1
x 1		EARTH PLATE	x 1
x 1		ELECTRODE WARMING POINT - ø 16 x 1 049567	x 1

x 1		ELECTRODE FOR AUTO-THREADED RIVETS ø 5 - M5, M6 x 1 049598	x 1
x 1		ELECTRODE FOR RIVETS ø 16,3 x 4,50 x 1 049604	x 1
x 50		THREADED STUDS M5 x 18 x 0.8 x 100 049383	x 50
x 50		SELF-THREADING STUDS ø 5 x 18 x 100 049420	x 50
x 50		SELF-THREADING STUDS ø 5 x 12 x 100 049413	x 50
x 100		RIVETS - ø 3 x 3,25 x 100 049345	x 100
x 100		RIVETS - ø 3 x 4,50 x 100 049352	x 100

SPECIAL GYSPOT ARC PULL

STEEL STUDS
BOX
059443

x 1		M4 - x 2	049000
x 1		M5 - x 1	048157
x 100		M4 x 16 - x 100	059603
x 100		M5 x 18 - x 100	049383
x 100		Ø5 x12 - x 100	049413
x 100		Ø5 x 18 - x 100	049420
x 1		x 1	059634
x 1		x 1	059641

more




SQUARE LOCK NUT - M8
(x100)
050303




MAGNETIC POSITIONER
(x1)
049772



MAGNETIC
EARTH (x1)
049666



ELECTRODE FOR
MAGNETIC EARTH (x1)
050013



THREADED ROD FOR
MAGNETIC EARTH (x5)
055438



SINGLE HOOK
(x1)
051218



ELECTRODE WHEEL
ø16 (x1)
050310



EARTH PLATE
(x1)
052529



ELECTRODE FOR NAILS
Ø 2 - M4 (x1)
049277



DENT BOX
EASY
053632



SPOTTER
BOX PRO
050075

BEST
SELLER

DENT BOX
CONSUMABLES
051515

x 25		WAVY WIRES x 50 049727
x 20		STARS WITH COPPERCOATING x 20 052239
x 50		STRAIGHT PULLING RINGS x 100 050648
x 25		TWISTED PULLING RINGS x 50 050631

CONSOMMABLES ALU - Alu consumables - Alu-Verbrauchsmaterial

ALU BOX LIGHT (Ø4)
051522

ALU BOX STANDARD (Ø4)
050020

ALU BOX Ø 5 & 6
048195

more (Ø4)




MANDREL FOR ALU GUN - Ø 4 (x2)
049000



TENSION MANDREL FOR M4 (x1)
050327

SPECIAL GYSPOT ARC PULL

ALU RING BOX
1.0 mm 059412
1.5 mm 059429



		SCREWABLE RINGS 1.0 mm	1.5 mm
x 50		059450	059474
x 50		059498	059511
x 50		059535	059559

		SCREWABLE RINGS
x 20		059467 059481
x 20		059504 059528
x 20		059542 059566

ALU STUDS BOX
059436



x 1		M4 - x 2	049000
x 1		M5 - x 1	048157
x 1		M6 - x 1	048164
x 100		M4 x 16 - x 100	059573
x 100		M5 x 16 - x 100	059580
x 100		M6 x 16 - x 100	059597
x 1		x 1	059634
x 1		x 1	059641

MANDRINS POUR PISTOLETS - Mandrels for gun - Pistole mit Anschlußstücke, Zubehör

Pour débousseleurs - for dent pullers - Anschlußstück für Ausbeulspotter-Pistole




QUICK GUN
057531




D1
048959

Pour soudeuses par point - for spot welding machines - Anschlußstück für Monopunktpistole



S1 (< nov 2010)
048171



S2 - NEW (> nov 2010)
048188



Écrou - Nut
053199



Microswitch
053267


MASSE PISTOLET ACIER - Steel gun earth adapter - Masse für Stahl Pistole



051997

Ø 25mm²

AFFÊTEUR PNEUMATIQUE D'ANNEAUX - Pneumatic Bit Cutter



056763

Made in P.R.C.

pour anneaux de tirage droits ou torsadés - for straight or twisted pulling rings


ANNEAUX DE TIRAGE RAPIDE - Fast pulling rings - Aufsteckzugöse selbstarretierend

058743



= x5
058712
goujons alu - alu screws
ø 4, 5 & 6 mm

+ Alu 1
050938
+ Alu 2
050945



Acier/Steel/Stahl


EASYLINER

39.02 (230V)

053618




GYSPT 39.02



Trolley SPOT 1000 053540



Dent box easy 053632 (p.17)



Levelling bar double action 053564 (p.14)



0,86 m



ALL IN 1 BOX

Acier/Steel/Stahl

PROLINER

39.02 (230V)	39.04 (400V)	PRO 230 (230V)	PRO 400 (400V)
035775	035782	035799	035805
			
GYSPT 39.02	GYSPT 39.04	GYSPT PRO 230	GYSPT PRO 400
			
Trolley UNIVERSAL 800 051331	Cable support 052284	Levelling bar double action 053564 (p.14)	Dent box bar 050037 (p.16)



Spot 600
053533

Universal 800
051331


Spot 1000
053540

Spot 1600
051348

Workstation
050747

Dentstation PRO
056848


OPTIONS



QUICK SPOT AIR GUN 057340



Acier/Steel/Stahl			
SPEEDLINER		SPEEDLINER	
39.02 (230 V)	39.04 (400 V)	PRO 230 (230 V)	PRO 400 (400 V)
035010	035027	036017	036024




- Trolley SPOT 1600 051348
- Manuspot 050679 (p.13)
- Levelling bar 050693 (p.14)
- Levelling lever 050686 (p.14)
- 052451 (p.14)
- 4 gripping multihook head 049758 (p.14)
- 6 gripping multihook head 049734 (p.14)
- 3 lifting rods 050792 (p.16)
- Dent box consumables 051515 (p.17)
- Magnetic earth 049666 (p.16)

SPEEDLINER (without generator) 035058

- Workstation 050747
- Fixing kit 051362
- Manuspot 050679 (p.13)
- Levelling bar 050693 (p.14)
- Scissoring bar 050716 (p.14)
- Double pads support 050723 (p.14)
- Levelling lever 050686 (p.14)
- Strengthened bar 1,2 m 051171 (p.14)
- 052451 (p.14)
- 4 gripping multihook head 049758 (p.14)
- 6 gripping multihook head 049734 (p.14)
- 8 gripping multihook head 049741 (p.14)
- 3 lifting rods 050792 (p.16)
- Dent box consumables 051515 (p.17)
- Magnetic earth 049666 (p.16)

GYSLINER (without generator) 035133

Acier/Steel/Stahl			
GYSLINER		GYSLINER	
39.02 (230 V)	39.04 (400 V)	PRO 230 (230 V)	PRO 400 (400 V)
035096	035102	036031	036048







Acier/Steel/Stahl + Alu

**SPEEDLINER
COMBI 230 E.PRO**





036062



 GYSPOT COMBI 230 E.PRO	 Trolley SPOT 1600 051348
 Manuspot 050679 (p.13)	
 4 gripping multihook head 049758 (p.14)	 6 gripping multihook head 049734 (p.14)
 Levelling bar 050693 (p.14)	 Levelling lever 050686 (p.14)
 Ringmatic (p.13) 052154	
 3 lifting rods 050792 (p.16)	
 052451 (p.14)	 Magnetic earth 049666 (p.14)
 Dent box consumables 051515 (p.17)	

+ 
Alu puller
051003
(p.22)

+ 
Cable support
052284

 GYSPOT COMBI 230 E.PRO	 Workstation 050747
 Manuspot 050679 (p.13)	
 x6 x2 Fixing kit 051362	
 4 gripping multihook head 049758 (p.14)	 6 gripping multihook head 049734 (p.14)
 8 gripping multihook head 049741 (p.14)	 Double pads support 050723 (p.14)
 Levelling bar 050693 (p.14)	 Levelling lever 050686 (p.14)
 Ringmatic (p.13) 052154	 Scissoring bar 050716 (p.14)
 Strengthened bar 1,2m 051171 (p.14)	
 3 lifting rods 050792 (p.16)	
 052451 (p.14)	 Magnetic earth 049666 (p.14)
 Dent box consumables 051515 (p.17)	


+ 
Alu puller
051003
(p.22)

+ 
Cable support
052284

Acier/Steel/Stahl + Alu

**GYSLINER
COMBI 230 E.PRO**


036079




OPTION
QUICK SPOT
AIR GUN
(p.13)
057340



Acier/Steel/Stahl			
DENTSTATION			
EXPERT 200 (200-240 V)	EXPERT 400 (400 V)	PRO 230 (230 V)	PRO 400 (400 V)
036734	036741	036420	036437



Housse de protection
- Protection cover
- Schutzhaube
059870

NEW
10/2018



GYSPOT
EXPERT 200



GYSPOT
EXPERT 400




GYSPOT PRO
230



GYSPOT PRO
400

Dentstation Pro 056848
Fixing kit 051362
Manuspot 050679 (p.13)
Ringmatic 052154 (p.13)
Manual pulling handle 057289 (p.13)
Levelling lever 050686 (p.14)
Levelling bar 050693 (p.14)
Scissoring bar 050716 (p.14)
Double pads support 050723 (p.14)
Strengthened bar 1,2m 051171 (p.14)
052451 (p.14)
4 gripping multihook head 049758 (p.14)
6 gripping multihook head 049734 (p.14)
8 gripping multihook head 049741 (p.14)
3 lifting rods 050792 (p.16)
Dent box consumables 051515 (p.17)
Magnetic earth 049666 (p.16)


Dentstation Pro 056848
Fixing kit 051362
Manuspot 050679 (p.13)
Ringmatic 052154 (p.13)
Manual pulling handle 057289 (p.13)
Levelling lever 050686 (p.14)
Levelling bar 050693 (p.14)
Scissoring bar 050716 (p.14)
Double pads support 050723 (p.14)
Strengthened bar 1,2m 051171 (p.14)
052451 (p.14)
4 gripping multihook head 049758 (p.14)
6 gripping multihook head 049734 (p.14)
8 gripping multihook head 049741 (p.14)
3 lifting rods 050792 (p.16)
Dent box consumables 051515 (p.17)
Magnetic earth 049666 (p.16)



+




+



Housse de protection
- Protection cover
- Schutzhaube
059870

NEW
10/2018



Acier/Steel/Stahl		+	Alu
DENTSTATION COMBI 230 E.PRO			
036444			



ÉQUERRE DE TIRAGE


- Draw aligner - Schnellausbeul-Richtausleger

052475



049734 (included)

058347 (included)



052321 (included)



OPTION
Bras de bas de caisse
- Rocker panel arms
for draw aligner
- Abstütztraverse
für Richtausleger

052581

7 kg





UNIVERSAL


SYSTÈME DE TIRAGE SMART PULLER SILVER

- Smart puller silver pulling system - Schnellausbeul-Richtausleger Smart puller silver

054820




- Portières - Doors - Türen
- Montants - Supports - Scheibenrahmen
- Capot - Hood/Bonnet - Haube
- Armature - Armature - Rahmen
- Bas de caisse - Rocker panel - Schweller
- Ailes - Wings - Kotflügel
- Toit - Roof - Dach
- Hayon - Hatchback - Heckdeckel




INCLUDED
Accessories

Authorobot


Spreading / Estensione




Pulling / Tiro



Applications / Applicazioni



Pressing / Compressione



Pushing / Spinta



ELECTRO POWER

Non commercialisable
en France

with accessories:
057425

- PULLING POWER: 5 Ton.
- PUSHING POWER: 5 Ton.
- PISTON STROKE: 130 mm



Standard kit : 425x620x210 mm
Standard kit Total weight: 18 kg
057401



Li-Ion battery (included)
058514



Accessories kit : 425x620x150 mm
Accessories kit Total weight: 20 kg
057418

SATELLITE INTELLIGENT - Smart Satellite - Satellite Komplett-Kit

The best from **Autorobot**
www.autorobot.com/pdf/714B_ENG.pdf
MADE IN FINLAND

MADE IN HIGH QUALITY FINLAND

PACK SATELLITE
= 1 + 2 + 3 + 4 + 5 + 6
052727

1

SATELLITE
- Satellite - Satellit Basisbügel-Set

052710

2

KIT MAC PHERSON (A)
- Mac Pherson Kit - Befestigungskit-Federbein (McPherson)

052703

3

BARRE POUR TIRER/POUSSER
- Push/Pull Bar
- Zug/Druck-Stangenset

052673

4

SATELLITE (B)
- Bügelverlängerung

052680

5

SANGLE DE SÉCURITÉ
- Safety Strap - Sicherungsgurt

044036

6

DOUBLE PINCE SATELLITE (C)
- Double Clamp Satellite
- Satellit Doppelklemme

052697

PINCE DE TIRAGE MULTI-USAGE
- Versatile pulling clamp
- Multifunktions-Zugklemme

053571

KIT MARTEAU À INERTIE - Inertia hammer kit - Ausziehhammer kit

051928

6 kg

OUTILS DE TIRAGE - Frame Straightening - Ziehwerkzeuge

Kit crochet de tirage « boomerang »
- Boomerang pulling hook set
- Zughaken Set «Boomerang»

052659

Pince de tirage à angle droit
- Right angle pull clamp
- Zugklemme 90° Winkel

052666

Pince de tirage à blocage automatique
- Self-locking pull clamp
- Selbstklemmende Zugklemme

052642

Mini pince de tirage à blocage manuel
- Manual-locking pull clamp
- Mini Klemme von Auflage in Handblockieren

056855

COFFRET VÉRIN HYDRAULIQUE - Hydraulic cylinder kit - Hydraulischer Drucksatz

MADE IN P.R.C.

BASIC 4T
052345

BASIC 10T
052338

PRO 4T
057432

PRO 10T
057449

BARRE D'ANCRAGE - Anchor bar - Türspanner

MADE IN TAIWAN

910 > 1130 mm

053045

1540 > 1930 mm

053052

POWER-PULLER 4T

059740

NEW
08/2018

HIGH QUALITY

MESURES - Measuring tools - Vermessung

GYSMETER, Electronic measurements

052093

Light weight measuring arm with an easy to read digital display

Measuring report

BODYMETER, Mechanical Measurements

052130

400 > 2650 mm

250 > 2230 mm

GYS

33

FRAME STRAIGHTENING • OUTILS DE TIRAGE

INDUCTEUR DÉBOSELAGE - Dent Pulling Inductor - Ausbeul Induktor

Débosselage rapide et sans peinture
- Fast paintless dent pulling
- Lackschadenfreies Ausbeulen

**GYSDUCTION AUTO
DENT REPAIR**
054981



Dent pulling inductor
054776


	50 Hz	230V, 1~	16	2400	35+120	Freq.	kHz	INTEGRATED TECHNOLOGY	PFC	FV	Liquid Cooling	Cable (m)	Inductor	cm	kg
												2	2,5	22 x 36 x 27	7,5

OPTION
Spray refroidisseur
- Freezer spray
-50 °C
400 ml
(x 12)
048898


**INSPECTION
CARROSSERIE** - Dent
Pulling Inductor - Ausbeul
Induktor

Planche flexible pour
inspection de la carrosserie
Ø 800 mm
059122

**NEW
2018**




GLUE PULLER PRO (Acier/Alu • Steel/Alu)




Glue Lifter
057364

Glue Puller PRO
058699



**Glue Puller PRO
EXPORT**
059160



BARRETTES ANNEAUX PLASTIQUE - Plastic Multipads Ösen-Klebepads



OPTIONS



KIT MAGNÉTIQUE DE DÉBOSELAGE SANS PEINTURE
- Paintless Dent Repair magnetic kit - Magnetisches Ausbeul-Kit

053168

EXELTOOLS



LAMPES DE DÉBOSELAGE
- Paintless Dent Repair lamps
- Ausbeullampe

056749

Made in Taiwan




ULTRA LIGHT CARBON X40 PW
053175

EXELTOOLS



KIT DÉBOSELAGE SANS PEINTURE
- Dent Pulling Kit (paintless) - Dellenausbeulhebel-Set



33 parts




051959



KIT DE 6 COINS DE FRAPPE
- Set of 6 pencil punches - Beulenstemmer-Satz mit 6 Tefloneinsätzen



MARTEAU INERTIE PNEUMATIQUE - Pneumatic inertia hammer - Unterdruck-Schlaghammer





MARTEAU À INERTIE À VENTOUSES (POMPAGE MANUEL)
- PUMP AIR SUCTION SLIDE HAMMER - Man. Unterdruck-Schlaghammer







SPOT LIFT

052864



Haute stabilité - High stability



SAFE
EN 1494

2,5 t max



OPTION
Outil de levage pour bas de caisse
- Rocker panel lifting tool
- Auflage für Seitenschweller

Included
220 bar
053588






SPOT LIFT PRO

053557



SAFE
EN 1494

2,2 t max



60 cm max
14 cm min

Option for BMW & AUDI
053717



OPTION SPOT LIFT PRO
Réhausseur pour 4x4 et utilitaires
- Height adjuster for 4x4 & utility vehicles
- Erhöhung f. 4x4 und Leicht-LKW




SPOT LIFT PRO MOB

055896



SAFE
EN 1494


2,2 t max




60 cm max
14 cm (min)



OPTION
Rampes - Ramps
700 x 200
x 80mm
x2
056787




OPTION
Pressure regulator 0-10 bar




AUTO ROLL 1.2T

059047



INCLUDED
059054




2,5 t max

NEW
2018

CHARIOT DE MANUTENTION PRISE SOUS ROUE

- Wheel truck - Kfz-Montagelift, fahrbar

Jacks hydrauliques de manutention
- Hydraulic positioning jacks



(x2)
053243

Made in P.R.C

AIR JACK

MADE IN
HIGH
QUALITY
ITALY



2T max

2T max

32.6 cm max
13.2 cm min


49 cm max
20.5 cm min

AIR JACK CAR 2T
058323


AIR JACK VAN 2T
058330

TABOURETS DE MANUTENTION

- Wheel trolleys - Radhocker



(x2)
048768



GYSPOT INVERTER

BP-LX

13 000 A

550 daN

For mild steel, HSS, UHSS

Boron steel

Double pressure

Ø 10 mm

6,5 kg

(included X1)

Liquid cooled



BP

BODYPROTECT

Unique electro-magnetic field protection by GYS

Traceability software

Save spot welding configuration and export data

	019652	058804
 Gyspot BP-LX	400V	
 Monopoint/Spot 049291	☐	☐
 Spotter box pro (p.17) 050075	☐	☐
 Inertia hammer 049482 + 049802	☐	☐
 X1 050501	☐	☐
 X4A (x2) + X4B + X4C + X2 020733	☐	☐
 CORAGARD CS 330 (10l) 052246	☐	(x3)



OPTIONS

050068

x10

(x20: 052239)

x18

(x6: 049987)

048935

x40

(x6: 049987)

SD CARD

050914

CORAGARD CS 330 10l

Liquide de refroidissement

Cooling liquid

Kühlmittel

Enfriamento líquido

Refrigeración líquida

052246

Housse de protection

- Protection cover

- Schutzhaube

050853

GYSPOT INVERTER

BP-LC-s7

13 000 A

550 daN

For mild steel, HSS, UHSS

Boron steel

Double pressure

Ø 10 mm

6,5 kg

(included C1)

Liquid cooled

BP

BODYPROTECT

Unique electro-magnetic field protection by GYS




EDC

Automatic C clamp

Energy Dynamic Control

Traceability software

Save spot welding configuration and export data

	020757	058798
 Gyspot BP-LC-s7	400V	
 Monopoint/Spot 049291	☐	☐
 Spotter box pro (p.17) 050075	☐	☐
 Inertia hammer 049482 + 049802	☐	☐
 Contact grease 050440	☐	☐
 Caps remover 050846	☐	☐
 Arm panel	☐	☐
 C1 019140	☐	☐
 C2 + C3 + C4 019126	☐	☐
 C6 019775	☐	☐
 CORAGARD CS 330 (10l) 052246	☐	(x3)

Included
Support haute stabilité
-High stability support
Compatible gyro
+

OPTION



10-14 kg

GYRO 360° for BP-LC 051737


MADE IN FRANCE 62135	50/60 Hz	A	A	V	mm	Cables			100 % CU	cm	kg	
	3 x 400V	32 (D)	13 000	16	3 + 3 + 3 1,5 + 3		Liquid / Air Cooled	m	mm²	OK	65 x 80 x 205	150
GYSPOT BP.LX							Liquid	2,5	200			
GYSPOT BP.LC-s7							Air	2,5	150			





GYSPOT INVERTER • LIQUID COOLED

43

</

Traceability software
Save spot welding configuration
and export data




	023451	023499
 Gyspot BP-LG	400V	400V
 Monopoint/Spot 049291	■	■
 Spotter box pro (p.17) 050075	■	■
 Inertia hammer 049482 + 049802	■	■
 Caps remover 050846	■	■
 Arm support	■	■
 G1 022768	■	■
 G2 + G3 + G4 022898		■
 CORAGARD CS 330 (10l) 052246		■ (x3)




 MADE IN FRANCE	 CE NORM. 62135				Uo	 mm	Cables			100 % CU		
		50/60 Hz	A	A	V	 	 	 	 			cm
GYSPOT B.P.LG	3 x 400V	32 (D)	13 000	16	3 + 3 + 3	1,5 + 3	2,5 m, Ø 200 mm ² , Liquid	2,5 m, Ø 150 mm ² , air	8 m, 4x6 H07RNF	OK	65 x 80 x 205	160



NEW
06/2018



FAST OPEN XL




EASY



FAST




GYRO
INTEGRATED




PERFECT ELECTRICAL CONNECTION

 **AUTO**


■ **Bras isolés - Isolated arms - Isolierte Bügel**




G1
8 bar/550 daN
022768




G2
8 bar/550 daN
022775




G3
8 bar/550 daN
022782




G4
8 bar/550 daN
022799




G6
8 bar/550 daN
022812



G7
4 bar/150 daN




G5
8 bar/550 daN
022805



G8
8 bar/550 daN
022836

Arm panel



for : 32D-X • 100R-X • 100R-CX • BP-LX • BP-LCX

550 daN

6,5 kg including X1

- DOUBLE PRESSURE
- LIQUID COOLED
REFROIDISSEMENT LIQUIDE
- Ø 10 mm



X ARMS
Ø 25 mm



Remote control (BP)




Digital screen control
Change Mode & Parameters




Clamp control



X Arms - Caps Ø13 mm




X1 8 bar/550 daN
050501




X2 8 bar/400 daN
050518



X4 8 bar/120 daN
050532






X11 3 bar/150 daN
051607




X11 3 bar/150 daN
051607


Arm panel




X5 8 bar/200 daN
050549




X4A 8 bar/150 daN
020702



X4B 8 bar/150 daN
020719



X4C 8 bar/150 daN
020726



Consommables X & C - X & C Consumables

- Type A Cor X clamp Ø 13 mm (x6) 049987
- Type B Cor X clamp Ø 13 mm / Ø 5 mm (x6) 055506
- Type C X2, X4, C11 arms Ø 13 mm (x6) 049994
- Type D Cor X clamp Ø 13 mm (x10) 058507
- TYPE F For single sided gun Ø 13 mm (x6) 049970
- TYPE G Ø 13 mm (x10) 059672




Europax anti-corrosion
052758



Lame - Blade
052857



Affuteur de caps - Cap grinder
048966



Affuteur de caps - Cap grinder
048966

GYRO 360°



10-14 kg
for BPLC/BPLCX
051737


BANC DE TRACTION ARRACHE TÔLE
- Steel sheet traction bench - Blech-
Zugbank zur Festigkeitsprüfung




KIT DE PURGE RÉSERVOIR
- Tank draining kit - Kit zur
Tankentleerung



VALISE TEST SOUDURE
- Weld test kit -
Schweißtestkit im
Hartschalenkoffer



ÉCHANTILLONS DE TÔLES - Sheets set




PROTECTION ANTI-
arc 12V - Anti-arc
protection 12V -
Lichtbogenschutz
12V - Protección
anti-arco 12V



GYSTEEL VISION



IDENTIFIEZ VOTRE ACIER
- STEEL IDENTIFICATION



for : EVOLUTION PTI • BP-LCX • BP-LC

550 daN

6,5 kg including C1

- DOUBLE PRESSURE
- LIQUID COOLED
REFROIDISSEMENT LIQUIDE
- Ø 10 mm




550 daN

Transformer inside


9,9 kg including C1

- DOUBLE PRESSURE
- AIR COOLED + LIQUID COOLED
DOUBLE
REFROIDISSEMENT
AIR + LIQUID
- Ø 10 mm


C Arms - Caps Ø13 mm



C1 8 bar/550 daN
021402
019140




C5 8 bar/550 daN
022393
019294




C6 8 bar/300 daN
022409
019775


Bras isolés - Isolated arms - Isolierte Bügel & Classic arms




C2 8 bar/550 daN
022386
019133




C9 8 bar/550 daN
020078




C7 8 bar/550 daN
021433
020009



C3 8 bar/550 daN
021419
019157




C10 4 bar/150 daN
051638




C4 8 bar/550 daN
021426
019164



C8 8 bar/550 daN
021440
020016




C11 8 bar/550 daN
053649




C12 8 bar/550 daN
022997

Arm panel




for : BP-LQC




QC1 8 bar/550 daN
021167




QC3 8 bar/300 daN
021204




QC5 4 bar/150 daN
021235




QC2 8 bar/550 daN
021181



QC4 8 bar/550 daN
021228



QC6 8 bar/550 daN
021259



QC7 8 bar/550 daN
022072

QC8 8 bar/550 daN
022751

Arm panel

QC2 + QC3 + QC4
022065

UNIVERSAL CAR BODY RIVETING SYSTEMS

8t PNEUMATIC HYDRAULIC

(7840 daN)

GYPRESS 8T

053861



INCLUDED

	Standard 8T tool box (2 clés + centreur inclus) (2 keys + special center punch included) 053694	
	HR1S 054219	
	for HR1S & HR2 057111	
	HR arm locker	
	Strap - Sangle - Gurt	
	Poignée - Handle - Griff	
	6 x 50 rivets - Nieten RAP/SPR ACIER / STEEL / STAHL 048706 Ø 3,3 x 3,5 mm Ø 5,3 x 4,0 mm Ø 3,3 x 4,0 mm Ø 5,3 x 5,0 mm Ø 5,3 x 6,0 mm Ø 5,3 x 8,0 mm	




CONTRÔLE DE LA PRESSION

- Pressure control - Druckregelung



CONTRÔLE DE LA VITESSE


- Speed control - Regelung Werkzeuggeschwindigkeit



DISCHARGE LEVER

- Auslösehebel

Unique Push Pull system by GYS



GYPRESS 8T PUSH PULL

056893




INCLUDED

	Standard 8T PushPull tool box (2 clés + centreur inclus) (2 keys + special center punch included) 058361	
	HR1S 054219	
	for HR1S & HR2 058644	
	HR arm locker	
	Strap - Sangle - Gurt	
	Poignée - Handle - Griff	
	6 x 50 rivets - Nieten RAP/SPR ACIER / STEEL / STAHL 048706 Ø 3,3 x 3,5 mm Ø 5,3 x 4,0 mm Ø 3,3 x 4,0 mm Ø 5,3 x 5,0 mm Ø 5,3 x 6,0 mm Ø 5,3 x 8,0 mm	


CONTRÔLE DE LA PRESSION

- Pressure control - Druckregelung



CONTRÔLE DE LA VITESSE

- Speed control - Regelung Werkzeuggeschwindigkeit



SÉLECTION PUSH/PULL

- Push/Pull selection

	AIR BAR	PRESSURE CONTROL	SPEED CONTROL	cm	kg	cm	kg
MADE IN FRANCE GYPRESS 8T	8 bar = 8 t (maxi 10 bar)	0 > 8 bar	+ -	38 x 140	5 (HR1S included)	58 x 48 x 15	11
GYPRESS 8T PUSH PULL	8 bar = 8 t (maxi 10 bar)	0 > 8 bar	+ -	39.5 x 180	5.8 (HR1S included)	58 x 48 x 15	11,7

KIT MATRICES - Dies tool box - Matrizen-Kit

Pose de rivets auto-perçants - Application of self-piercing rivets - Stanzniet-Verpressen

2.0 < 6.5 mm

Pose de rivets pleins - Application of solid rivets - Vollniet-Verpressen

2.3 < 8.3 mm

Pose de rivets Flow-Form - Application of Flow-Form rivets - Setzen v. Fließformnieten

2.3 < 8.3 mm

Extraction de rivets auto-perçants - Extraction of self-piercing rivets - Stanzniet-Auspressen

2.3 < 8.3 mm

Perçage et formage des tôles pour rivets pleins - Metal sheet punching and shaping - Vollniet-Lochstanzen/Prägen

2.3 < 8.3 mm

3 < 5.2 bar RAP Ø 3.3
4.7 < 5.8 bar RAP Ø 5.3
5.3 < 6.4 bar RFF Alu Ø 6
5.8 < 7 bar RFF Steel Ø 6
6.5 < 8 bar RFF Steel Ø 8
8 bar Eject & Drilling

STANDARD 8T

Included in GYS PRESS 8T 053694



A1 055698 A1 + A2 set 054295	A2 055704	B1 055711 B1 + B2 set 054301	B2 055728	E1 055865 (x5) 054288	E2 055766 E1 + E2 set 054318
F1 055773 F1 + F2 set 054714	F2 055780	D17 055681	D17 055681	Applanissement des tôles - Metal sheet levelling - Blech-Rückverformung	
Pointeau centreur - Special center punch - Spezialkörner 048379				T1 057098 T1 x 5 059078	T2 057104 T1 + T2 set 054707

STANDARD 8T PUSH PULL

Included in GYS PRESS 8T Push Pull 058361



A1 055698 A1 + A2 set 054295	A2 055704	B1 055711 B1 + B2 set 054301	B2 055728	E1 055865 (x5) 054288	E2 055766 E1 + E2 set 054318
F1 055773 F1 + F2 set 054714	F2 055780	D17 055681	D17 055681	Applanissement des tôles - Metal sheet levelling - Blech-Rückverformung	
Pointeau centreur - Special center punch - Spezialkörner 048379				T7 058033	ST1 058071

RMB 01

For BMW 054240



A1 055698 A1 + A2 set 054295	A2 055704	B1 055711 B1 + B2 set 054301	B2 055728	E1 055865 (x5) 054288	E2 055766 E1 + E2 set 054318
clé plate x2 joints x4					

RMB 02

For Jaguar/ Land Rover 054271



B3 055735	B2 055728	E1 055865	E6 057142	D17 055681	D17 055681
Applanissement des tôles - Metal sheet levelling - Blech-Rückverformung					

RMB 03

For VW Group 054257



A1 055698	S3 057043	B1 055711	S7 057074	S8 057081
D8 056039	D9 056046	D17 055681	D8 056039	D17 055681
D2 055988	S1 057036	D1 055971	D3 055995	D4 055742
S4 057050	E2 055766	D13 055759	S5 057067	
D10 055674	D11 056060	D15 056077	D16 056084	D6 056015
D7 056022	D12 056053	D5 056008	pour bouchonnage	

RMB 04

For Mercedes-Benz 054264



RMB PP01

For Mercedes-Benz 058378



T1 x1 057098 x5 059078	T2 057104	T3 055827	T4 055834
E3 057005	E4 057012	E5 057029	for HR3 arm (use with E3, E4, E5) 057135
F1 055773	F2 055780	F4 055803	F3 055797
Rivets : A1/2/3, S0/1/2/3/4/5/6		Rivets : S28/38/48/58/68	
Rivets : S08/18		Rivets : S08/18	

RMB 05

For Ford 055872



B1 055711	G1 057173	G2 057180	G3 057197	G4 057203	G5 057210	G6 057227
E7 057159	E8 057166					

RMB 06

For Ferrari 059009



B4 059016	S3 057043	B5 059023	S7 057074	B6 059030	S8 057081
E1 055865	E2 055766	E13 059085	D17 x2 055681		

RMB PP02

For Ford 058835



B1 055711	G1 057173	G2 057180	G3 057197	G4 057203	G5 057210	G6 057227
E7 057159	E12 058828					

RMB PP03

For Tesla 059092



B1 055711	S7 057074	S8 057081	F4 055803	F3 055797	F5 055810
T10 058064	ST2 058088	T9 058057	T8 058040		
E3 057005	E2 055766	E9 058606	E10 058613	D17 x2 055681	for HR3 arm (use with E3, E4, E5) 057135

GYPRESS COMPLETE PACKS



GYPRESS 8T

pack GYPRESS 8T
058675

•	HR arm locker + Strap - Sangle - Gurt + Poignée - Handle - Griff	053861			6 x 50 rivets - Nieten RAP/SPR Acier/Steel/Stahl 048706	HR1S 054219	HR2 053878	HR3 053885	055391	
		Standard 8T tool box 053694							Support - Supportständer ↳ 28 x 40 x 21,5 cm 054158	Chariot-Trolley ↳ 51 x 82 x 74 cm 054233

GYPRESS 8T PUSH PULL

pack GYPRESS 8T
PUSH PULL
058682

•	HR arm locker + Strap - Sangle - Gurt + Poignée - Handle - Griff	056893			6 x 50 rivets - Nieten RAP/SPR Acier/Steel/Stahl 048706	HR1S 054219	HR2 053878	PP HR3 058903	055391	
		Standard 8T Push Pull tool box 058361							Support - Supportständer ↳ 28 x 40 x 21,5 cm 054158	Chariot-Trolley ↳ 51 x 82 x 74 cm 054233

RIVETS AUTOOPERÇANTS (RAP) - Self piercing rivets (SPR) - Stanznieten

Steel - Acier - Stahl									
Complete box 048706									
Ø 3,3 x 3,5 mm x 50	Ø 3,3 x 4 mm x 50	Ø 5,3 x 4 mm x 50	Ø 5,3 x 5 mm x 50	Ø 5,3 x 6 mm x 50	Ø 5,3 x 8 mm x 50	Ø 5,3 x 7 mm x 100	Ø 5,3 x 9 mm x 100		
048232	048249	048256	048263	048270	048225	048638	048645		

BRAS DE RIVETAGE (HR) - Riveting arms (HR) - C-Bügel

Gyspress 8t	HR1S 054219	HR2 053878	for HR1S & HR2 057111	HR3 053885	PP HR3 058903	KIT HR2 + HR3 053892	KIT PP HR2 + HR3 058910

CHARIOT - Trolley

Gyspress 8t	Gyspress 8t Push Pull	Support Riveteuse pour changements d'accessoires (bras & matrice) - Riveting machine support for changing accessories (arms & dies) - Supportständer ↳ 28 x 40 x 21,5 cm 054158		Chariot-Trolley ↳ 51 x 82 x 74 cm 054233		Chariot+Support -Trolley+Support ↳ 51 x 122 x 74 cm 055391	


PISTOLET À COLLE SANS FIL - Cordless caulking glue gun - Akku-Kartuschenpresse



SERTISSEUSE HYDRO-PNEUMATIQUE RIV 998 - Hydro-pneumatic tool for rivet nuts - Hydro-pneum. Blindnietmuttergerät



GYPRESS 8T ET PUSH PULL : ADAPTATEUR 20kN POUR RIVETS AVEUGLES-BLIND RIVET ADAPTER 20kN



RIVETEUSE HYDRO-PNEUMATIQUE - Hydro-pneumatic tool for blind rivets - Hydro-pneum. Blindnietgerät

HR9	Rivets POP - BLIND rivets - Blindniet	Pour rivets Ø 3,2/4,0/4,8 mm (Acier/Alu - Steel/Alu) max 9 000 N 057234 Made in Taiwan		HR14	Rivets POP - BLIND rivets - Blindniet	Pour rivets Ø 4,0/4,8/6,4 mm (Acier/Alu - Steel/Alu) max 14 000 N 057241 Made in Taiwan	

RIVETEUSE HYDRO-PNEUMATIQUE - Hydro-pneumatic tool for blind rivets - Hydro-pneum. Blindnietgerät



MINI RIVETEUSE SANS FIL - Cordless riveter - Akku-Blindnietgerät



15 A → 200 A
Ideal 0,6 mm

CAPACITOR INSIDE → PERFECT WELD
M1GYS AUTO, M3GYS AUTO

Without Capacitor

With **C**apacitor

ENERGY SAVING

CARMIG

400V 3~

with accessories : 032132

TORCHE MOTORISÉE SPOOL GUN - Spool Gun Torch
- Spool Gun Brenner


041486

Ø 100

Ideal for
- Acier / Steel / Stahl
- Inox / Stainless steel
- Alu

4m

included 045699



M1GYS AUTO

230V 1~

CAPACITOR
INSIDE

with accessories :

230V 1~ 032903

208/240V 1~ 032088

T1GYS AUTO

400V 3~

with accessories : 032910

T1GYS AUTO DV

230V 3~/400V 3~

with accessories : 032927

Ø 300 mm / 200 mm

OR OPTION

Ø 100 mm

ACCESSORIES BOX

400V 3~



041424

OPTIONS

MB 15 (150 A)
041226

x3 x5 x3

x5 (M6-Ø 0,6)
x5 (M6-Ø 0,8)
x5 (Alu - M6-Ø 0,8)

20L / min (FR) 041998
(UK) 040274
(NL) 040267
(IT) 038691

OPTIMAPRO 30L / min (FR) 043619
(UK) 043626
(DE) 043633
(NL) 043640

30L / min (FR) 041622
(UK) 041646
(DE) 041219
(NL) 041615
(IT) 038707

041332

041806

T3GYS & M3GYS :
Housse de protection
- Protection cover
- Schutzhaube

052260



M3GYS AUTO

230V 1~

CAPACITOR
INSIDE

with accessories :

230V 1~ 032880

208/240V 1~ 032897

T3GYS AUTO

400V 3~

with accessories : 032958

with accessories : 032941

T3GYS AUTO DV

230V 3~/400V 3~

with accessories : 032972

100% READY

Ø 100 mm

+

Ø 200 mm

+

Ø 300 mm / 200 mm

038554

059276



NEW DESIGN

SYNERGIC - EASY TO USE

Réglage automatique de la vitesse \ Auto adaptative wire speed
Automatische Einstellung der Drahtgeschwindigkeit

PATENTS REGISTERED NUMBERS
EUROPEAN TRADEMARK & DESIGN

2 x 4 m³ (20L)

ACCESSORIES BOX

câble secteur - mains cable 6m

Échantillons de tôles - Sheets set

Acier/Steel 0,8 (x65) + 1 (x55) + 1,5 (x35) + 2 (x25)
+ Alu 1 (x45) + 1,5 (x30) + 2 (x20)
055841

Protection gas
Argon+Co₂ (Steel, Inox)
Argon (ALU/CuSi3/CuAl8)
Co₂PUR

 MADE IN FRANCE	 MADE IN GYS CHINA	 CE NORMA 60974/1							EN60974-1 (40°C)			Equipement d'origine Original equipment Originalausstattung Equipamiento de fabrica				
			50/60 Hz	A	A	Reg	100 (spoolgun)	200	300	Electronic Control	IA (60%)	X% (I2 max)	Ø mm			cm/kg
		CARMIG	400 V 3~	10	15 ÷ 200	7	—		110	150A@25%	0,6 ÷ 1	0,6/0,8	0,8	47x77x79 / 50	5 kVA	
		M1GYS AUTO	230 V 1~ 208/240 V 1~	16	15 ÷ 160	6	option		90	140A@15%	0,6 ÷ 1	0,6/0,8	0,8	47x77x79 / 46	4,5 kVA	
		T1GYS AUTO	400 V 3~	10	15 ÷ 200	7	option		110	150A@25%	0,6 ÷ 1	0,6/0,8	0,8	47x77x79 / 52	5 kVA	
		T1GYS AUTO DV	230 V 3~ / 400 V 3~													
		M3GYS AUTO	230 V 1~ 208/240 V 1~	16	15 ÷ 160	6			90	140A@15%	0,6 ÷ 1	0,6/0,8 0,8/1,0	2 x 0,8	60x90x90 / 58	4,5 kVA	
		T3GYS AUTO	400 V 3~	10	15 ÷ 200	7			110	150A@25%	0,6 ÷ 1	0,6/0,8 0,8/1,0	2 x 0,8	60x90x90 / 75	5 kVA	
		T3GYS AUTO DV	230 V 3~ / 400 V 3~													

MIG/MAG

INVERTER • PEARL


1 2 MIG / MANUAL

Enter your parameters



Adjust Spot & Delay


3 MMA



HotStart

ArcForce

4 TIG lift




Post Gas

Downslope

SYNERGIC • EASY TO USE

MIG / SYNERGIC

Easy to use



Select :

1. material
2. Ø wire
3. position
4. thickness

Adjust arc length

MIG / SYNERGIC

Materials :

Fe	CrNi
AlMg5	CuSi3
AlSi5	AlSi12
CuAl8	F.C.




4
in 1

GAS

NO GAS

MMA

TIG



PFC	FV	SR	MMA	GAS	NO GAS	TIG
Multi PEARL 200-2						
20	200 A					

BINZEL 3 m
031944


PFC	FV	SR	MMA	GAS	NO GAS	TIG
Multi PEARL 200-4 XL						
20	200 A					

BINZEL 3 m
031791

PFC	FV	SR	MMA	GAS	NO GAS	TIG
Multi PEARL 201-4						
20	200 A					

BINZEL 3 m
031821

OPTIONS




MADE IN FRANCE EN60974-1	50 / 60 Hz	A	I ₂ MMA	I ₂ TIG	min → max	EN60974-1 (40°C)	U _o (V)	MIG	Electronic Control	m/min	100	200	300	GAS	NO GAS	MMA	Ø mm	Equipement d'origine Original equipment Originalausstattung Equipamiento de fabrica	TYPE	cm	kg	Protected & compatible power generator (+/-15%)
Multi PEARL 200-2	110V 1~	32	10 → 130	10 → 180	20 → 150	110	150 A @ 22%	85	15	15	15	15	15	0.6 → 1.0	0.9 → 1.2	1.6 → 3.2	0.6 / 0.8	A-042339	0.8	45 x 35 x 25	16	7.5 kW
	230V 1~	13	10 → 200	10 → 200	20 → 200	135	200 A @ 20%	85	15	15	15	15	15	0.6 → 1.0	0.9 → 1.2	1.6 → 3.2	0.6 / 0.8	B-042353	0.8	55 x 44 x 25	20	7.5 kW
Multi PEARL 200-4 XL	110V 1~	32	10 → 130	10 → 180	20 → 150	110	150 A @ 22%	85	15	15	15	15	15	0.6 → 1.0	0.9 → 1.2	1.6 → 3.2	0.6 / 0.8	B-042353	0.8	55 x 44 x 25	20	7.5 kW
	230V 1~	13	10 → 200	10 → 200	20 → 200	135	200 A @ 20%	85	15	15	15	15	15	0.6 → 1.0	0.9 → 1.2	1.6 → 3.2	0.6 / 0.8	B-042353	0.8	71 x 74 x 41	27	7.5 kW
Multi PEARL 201-4	110V 1~	32	10 → 130	10 → 180	20 → 150	110	150 A @ 22%	85	15	15	15	15	15	0.6 → 1.0	0.9 → 1.2	1.6 → 3.2	0.6 / 0.8	B-042353	0.8	71 x 74 x 41	27	7.5 kW
	230V 1~	13	10 → 200	10 → 200	20 → 200	135	200 A @ 20%	85	15	15	15	15	15	0.6 → 1.0	0.9 → 1.2	1.6 → 3.2	0.6 / 0.8	B-042353	0.8	71 x 74 x 41	27	7.5 kW

MIG/MAG INVERTER DOUBLE PULSE



200>400 V-3 Ø



NEOPULSE 300


15 270 A

FV TRI

no accessories/no trolley :
032767

MERCEDES
APPROVED

X2
(200/300 mm)



NEOPULSE 300-T2

15 270 A

FV TRI

no accessories :
032729

TESLA
APPROVED



OPTIONS

Potence - Cable support					
for Neopulse 300 032842	for Neopulse 300-T2 022553	845 x 982 x 605 mm 033931	Max 10 m³ (50 L)	cooling unit (5l)	WCT 1.3kW A 400 V, 2~ 1300 W, 020344
			INCLUDED Connection 034273		CORAGARD CS 330 (10 L) 052246

SYNERGIES NEOPULSE 300	Standard				Pulse		
	Ø0.6	Ø0.8	Ø1	Ø1.2	Ø0.8	Ø1	Ø1.2
Fe Ar CO ₂ 18%	✓	✓	✓	—	✓	✓	—
Al Mg 5 Ar 100%	—	—	✓	✓	✓	✓	✓
Al Si 12 Ar 100%	—	✓ (Push Pull ⤵)	✓	✓	✓ (Push Pull ⤵)	✓	✓
Al Si 5 Ar 100%	—	✓ (Push Pull ⤵)	✓	✓	✓ (Push Pull ⤵)	✓	✓
Cr Ni 308 Ar 98% CO ₂ 2%	—	✓	✓	—	✓	✓	—
Cr Ni 316 Ar 98% CO ₂ 2%	—	✓	✓	—	✓	✓	—
Cu Si 3 Ar 100%	—	✓	✓	—	✓	✓	—
Cu Al 8 Ar 100%	—	✓	✓	—	✓	✓	—
Fe CO ₂ 100%	—	✓	✓	—	—	—	—

 MADE IN FRANCE	 CE NORM. EN60974-1					FV TRI				Cooling system		Equipement d'origine Original equipment Originalausstattung Equipamiento de fabrica		EN60974-1 (40°C)			
		50 / 60 Hz	A	Ø mm	A		SPOOLGUN	PUSH PULL	200	300							
NEOPULSE 300		230 V · 3 ~	20	0.6 + 1.2	15 + 240	■	—	OPTION	■	Air		0.8 / 1.0 mm	220	240 A @ 60%	38x52x64 / 41	10 kVA	
		400 V · 3 ~	16	0.6 + 1.2	15 + 270												
NEOPULSE 300-T2		230 V · 3 ~	20	0.6 + 1.2	15 + 240	■	OPTION	OPTION	■	Air		0.8 / 1.0 mm + 1/1.2 mm (Alu)	220	240 A @ 60%	84x103x63 / 72	10 kVA	
		400 V · 3 ~	16	0.6 + 1.2	15 + 270												

ERGONOMIC & EASY

Large 5 inch LCD
colour screen

Easy mode
Easy & intuitive

Pro mode
100% parameters

U=52V I=275A

U=52V I=275A

U=52V I=275A

U=52V I=275A

U=52V I=275A

U=52V I=275A

U=52V I=275A

U=52V I=275A

U=52V I=275A

U=52V I=275A

U=52V I=275A

U=52V I=275A

U=52V I=275A

U=52V I=275A

U=52V I=275A

U=52V I=275A

U=52V I=275A

U=52V I=275A

U=52V I=275A

U=52V I=275A

U=52V I=275A

U=52V I=275A

U=52V I=275A

U=52V I=275A

U=52V I=275A

U=52V I=275A

U=52V I=275A

U=52V I=275A

U=52V I=275A

U=52V I=275A

U=52V I=275A

U=52V I=275A

U=52V I=275A

U=52V I=275A

U=52V I=275A

U=52V I=275A

U=52V I=275A

U=52V I=275A

U=52V I=275A

U=52V I=275A

U=52V I=275A

U=52V I=275A

U=52V I=275A

U=52V I=275A

U=52V I=275A

U=52V I=275A

U=52V I=275A

U=52V I=275A

U=52V I=275A

U=52V I=275A

U=52V I=275A

U=52V I=275A

U=52V I=275A

U=52V I=275A

U=52V I=275A

U=52V I=275A

U=52V I=275A

U=52V I=275A

U=52V I=275A

U=52V I=275A

U=52V I=275A

U=52V I=275A

U=52V I=275A

U=52V I=275A

U=52V I=275A

U=52V I=275A

U=52V I=275A

NEOPULSE COMPLETE PACKS

NEOPULSE 300							
pack NEOPULSE 300 A1 032682	Ø 0.8/1 (x2) (Original Equipment)	4 m, 35 mm² 043817	845 x 982 x 605 mm 033931	Cable support 032842	250 A, 3 m, air 040700		
pack NEOPULSE 300 A2 032705	Ø 0.8/1 (x2) (Original Equipment)	Alu, Ø 1/1.2 (x2) 042162	4 m, 35 mm² 043817	845 x 982 x 605 mm 033931	Cable support 032842	250 A, 3 m, air 040724	
MERCEDES APPROVED pack NEOPULSE 300 A3 022744	Ø 0.8/1 (x2) (Original Equipment)	Alu, Ø 1/1.2 (x2) 042162	4 m, 50 mm² 047853	845 x 982 x 605 mm 033931	Cable support 032842	220 A, 4 m 046283	Ø 0.8 Alu 041059 Ø 1 Alu 041066
MERCEDES APPROVED pack NEOPULSE 300 A4 022843	Ø 0.8/1 (x2) (Original Equipment)	Alu, Ø 1/1.2 (x2) 042162	4 m, 50 mm² 047853	845 x 982 x 605 mm 033931	Cable support 032842	250 A, 3 m, air 040724	Ø 1.2 Alu 041073
pack NEOPULSE 300 A PUSH PULL 022706	Ø 0.8/1 (x2) (Original Equipment)	Alu, Ø 1/1.2 (x2) 042162	4 m, 35 mm² 043817	845 x 982 x 605 mm 033931	Cable support 032842	220 A, 4 m 046283	
pack NEOPULSE 300 W1 032699	(Original Equipment)	4 m, 35 mm² 043817		WCT 1.3kW A 020344	Cable support 032842	300 A, 3 m, liquid 040694	
pack NEOPULSE 300 W2 032712	Ø 0.8/1 (x2) (Original Equipment)	Alu, Ø 1/1.2 (x2) 042162	4 m, 35 mm² 043817	845 x 982 x 605 mm 033931	WCT 1.3kW A 020344	Cable support 032842	300 A, 3 m, liquid 040748
NEOPULSE 300-T2							
pack NEOPULSE 300-T2 022607	Ø 0.8/1 (x2) (Original Equipment)	Alu, Ø 1/1.2 (x2) 042162	4 m, 35 mm² 043817		Cable support 022553	250 A, 3 m, air 040700	220 A, 4 m 046283 Ø 0.8 Alu 041059 Ø 1 Alu 041066

PUSH PULL TORCH - 24 V

OPTION NEOPULSE 270-T2, 300, 300-T2, 320-T3



Ideal Alu MB15

Ø 0,8
160 A (40%)
Original equipment : Ø 0,6,0,8-1,0
2,9 kg
4m 044111

Ideal Alu MB25

Ø 1,2
220 A (20%)
Original equipment : Ø 0,8-1,0/1,2
4m 046283
6m 048713
option Ø 0,6 / 0,8-1,0 046290

SPOOLGUN

OPTION M1/T1/M3/T3 GYS AUTO, NEOPULSE 270-T2, 300-T2, 320-T3



Torche motorisée Spool Gun - Spool Gun Torch
- Spool Gun Brenner
041486

Ideal Alu

Ø 0,8

& Acier/Steel/Stahl
Inox/Stainless steel

4m 045699

MIG/MAG INVERTER DOUBLE PULSE




- PROCESSES :**
- Standard
 - Pulse
 - Pulse in Pulse
 - Manual
 - **Cold Pulse**

Latest generation
colour screen 5" /
800 x 480 (WVGA)

Fully DIGITAL

4 MICROPROCESSORS

DSP



STEEL

Cu Si 3 / Cu Al 8

ALU

**EASY USB
UPDATE**

47 SYNERGIES

	Standard			Pulse/Pulse in Pulse			Cold Pulse
	Ø0.8	Ø1	Ø1.2	Ø0.8	Ø1	Ø1.2	Ø1
Fe Ar 18 CO ₂	✓	✓	—	✓	✓	—	—
Al Mg 3 Ar	✓	✓	✓	✓	✓	✓	—
Al Mg 5 Ar	✓	✓	✓	✓	✓	✓	—
Al Si 5 Ar	Push Pull	✓	✓	Push Pull	✓	✓	—
Al Si 12 Ar	Push Pull	✓	✓	Push Pull	✓	✓	—
Cr Ni 308 Ar 2 CO ₂	✓	✓	—	✓	✓	—	—
Cr Ni 316 Ar 2 CO ₂	✓	✓	—	✓	✓	—	—
Cu Si 3 Ar	✓	✓	—	✓	✓	—	✓
Cu Al 8 Ar	✓	✓	—	✓	✓	—	—
Fe CO ₂	✓	✓	—	—	—	—	—


3 WELDING MODES

EASY



EXPERT

Pre-gas / Hot Start / Upslope / Downslope / Crater filler / Post-gas





ADVANCED

Arc length adjustments



Up to 500 JOBS can be saved



AUTOPULSE 220 M3			
200>240V 1~	15	220 A	PFC

AUTOPULSE 320 T3			
400V 3~	15	320 A	

PUSH PULL TORCH 24 V

details p. 61

MB 25

4 m

046283

6 m

048713

SPOOLGUN TORCH

details p. 61

Motor inside

Ideal Alu

Ø 0,8

4 m 041486



MB 15 / MB 25 (250 A)
037458

x5 (Mg-Ø0.8)
x5 (Mg-Ø1.0)
x5 (Alu - Mg-Ø0.8)
x5 (Mg-Ø0.8)
x5 (Mg-Ø1.0)
x5 (Alu - Mg-Ø1.0)
x5 (Alu - Mg-Ø1.2)



Housse de protection
- Protection cover
- Schutzhaube
052260

AUTOPULSE CONFIGURATIONS

AUTOPULSE 220-M3							
036703	4 m, 35 mm ² 043817		CuSi 150 A, 3 m, air Ø 1.0	Steel 150 A, 3 m, air Ø 0.8	Alu 250 A, 3 m, air Ø 1.2		
AUTOPULSE 320-T3							
036710	4 m, 35 mm ² 043817						
PACK 1 059184							
	4 m, 35 mm ² 043817		Steel 250 A, 3 m, air Ø 1.0	Steel 250 A, 3 m, air Ø 1.0	Alu 250 A, 3 m, air Ø 1.0		MB15/MB25 250A 037458
PACK 2 059191							
	4 m, 35 mm ² 043817		Steel 250 A, 3 m, air Ø 1.0	Steel 250 A, 3 m, air Ø 1.0	Alu Push-Pull - MB25 - 4 m Ø 1.2		MB15/MB25 250A 037458

 MADE IN FRANCE	 CE NORM. EN60974-1		 Ø	 min → max			 Ø mm		Equipement d'origine Original equipment Originalausstattung Equipamiento de fabrica		EN60974-1 (40°C)			 Protected & compatible power generator (+/-15%)
		50 / 60 Hz	A	Ø mm	A	SPOOLGUN	PUSHPULL	200	Cooling system	 ELECTRONIC CONTROL	IA (60%)	X% (I2 max)	cm / kg	
AUTOPULSE 220-M3	200>240 V · 1 ~	16	0.6 → 1.2	15 → 220	OPTION	OPTION	■	Air		ACIER : Type B 0.8 / 1.0 mm ALU : Type B 1.0 / 1.2	220	220 A @ 25%	88x93x63 / 69	24 kVA
AUTOPULSE 320-T3	400 V · 3 ~	16	0.8 → 1.2	15 → 320	OPTION	OPTION	■	Air		ACIER : Type C 0.8 / 1.0 mm ALU : Type C 1.0 / 1.2	260	320 A @ 35%	90x92,5x63 / 82.5	24 kVA

MANUAL TORCHES - Torches - Brenner - Antorcha - Lastoort - Tocha

1

GRIP CONFORT
ERGONOMIC CONCEPT

5

2

A1		A2	
B1		B2	
C1		C2	
D1		D2	

3

4

A	
B	
C	
E	

Torches aspirantes
- Fume Extraction Torches
- Rauchgas-Absaugbrenner
- Antorcha con aspiración de humos

ACIER / INOX - Steel/Stainless steel - Stahl/Edelstahl				ALU - Aluminium - Aluminio				24V TORCHES - Ideal Alu	
AIR		LIQUID		AIR		LIQUID		PUSH PULL TORCH	SPOOL GUN
								AIR	

1 TORCHES COMPLÈTES - Complete Torches - Brenner - Antorcha - Lastoort - Tocha												
	150 A	250 A	350 A	300 A	150 A	250 A	350 A	300 A	160 A	220 A	150 A	
2	A1 + A2	B1 + B2	D1 + D2	C1 + C2	A1 + A2	B1 + B2	D1 + D2	C1 + C2	A1 + A2	B1 + B2	A1 + A2	
3	M6	M6	M8	M6	M6	M6	M8	M6	M6	M6	M6	
original equip.	Ø 0.8 A	Ø 1.0 A	Ø 1.2 A	Ø 1.2 A	Ø 0.8	Ø 1.0	Ø 1.2	Ø 1.2	Ø 1.0	Ø 1.2	Ø 0.8	
X% 40°C-ArCo ₂	150A - 60%	200A - 60%	290A - 60%	270A - 100%	150A-60%	200A - 60%	290A - 60%	270A - 100%	160A - 40%	220A - 20%	150A - 60%	
Classic	3 m 041424	—	—	—	041462	—	—	—	—	—	—	
GRIP	3 m 043268	040700	040687	040694	—	040724	040731	040748	—	—	—	
	4 m —	040922	040946	043275	—	040939	040953	043282	044111	046283	041486	
	6 m —	—	—	—	—	—	—	—	—	048713	—	
GRIP	3 m 043251	040540	—	—	—	—	—	—	—	—	—	
	4 m —	—	040557	—	—	—	—	—	—	—	—	

2 SUPPORTS TUBE CONTACT & DIFFUSEURS - Tip adaptors & diffusers												
	150 A	250 A	350 A	300 A	150 A	250 A	350 A	300 A	—	—	—	
	A1 (x5)	B1 (x5)	D1 (x3)	C1 (x3)	A1 (x5)	B1 (x5)	D1 (x3)	C1 (x3)	A1	B1	A1	
	042902	042995	043008	043589	042902	042995	043008	043589	042902	042995	042902	
	A2 (x10)	B2 (x5)	D2 (x5)	C2 (x5)	A2 (x10)	B2 (x5)	D2 (x5)	C2 (x5)	A2	B2	A2	
	042988	042919	042926	043541	042988	042919	042926	043541	042988	042919	042988	

3 TUBES CONTACTS - Contact tips - Kontaktrohre - Tubo de contacto - Contactbuis - Pontas de contacto												
x10	150 A	250 A	350 A	300 A	150 A	250 A	350 A	300 A	150 A	250 A	150 A	
Ø 0.6	041905	041905	—	041905	—	—	—	—	—	—	—	
Ø 0.8	041912	041950	041790	041950	041059	041059	—	041059	041059	041059	041059	
Ø 1.0	041929	041967	419803	041967	041066	041066	419766	041066	041066	041066	041066	
Ø 1.2	040144	041974	419810	041974	041073	041073	419773	041073	041073	041073	041073	
Ø 1.4	—	—	419827	—	—	—	—	—	—	—	—	
Ø 1.6	—	—	419834	—	—	—	041080	—	—	—	—	
Ø 2.4	—	—	040533	—	—	—	—	—	—	—	—	

4 BUSES - Gas nozzles - Düsen - Tubo - Nippel - Bicos												
	150 A Ø12	250 A Ø15	350 A Ø16	300 A Ø17	150 A	250 A Ø15	350 A Ø16	300 A	150 A Ø12	250 A Ø15	150 A Ø12	
	A (x3)	A (x3)	A (x3)	A (x3)	A (x3) Ø12	A (x3)	A (x3)	A (x3) Ø17	A (x3)	A (x3)	A (x3)	
Conique - Conical nozzle - Konische Düse	041875	041882	041783	043534	041875	041882	041783	043534	041875	041882	041875	
	E (x1)	E (x1)	E (x1)	—	A (x3) Ø16	—	—	A (x3) Ø12	GAINES - Torch liners - Mantel - Funda - Drahtseelen - Folha Ø 1.0/1.2 / 8m 038677 GALETS UNIVERSELS - Rollers - Roletes - Drahtführungsrollen - Rollen - Rodillos - Wielen Ø 0.6/0.8/1.0 046290 Ø 0.8/1.0/1.2 038752 (250 A)			
Pointage - Spot welding - Punktdüse	041851	—	—	—	—	—	—	—				
Soude clou - Nail welding - Nagelschweißdüse	041523	—	—	—	—	—	—	—				
Special No Gas (isolated)	041868	—	—	—	—	—	—	—				

5 GAINES - Torch liners - Mantel - Funda - Drahtseelen - Folha										
Acier - Steel - Stahl - Acero - Staal - Aço			Teflon							
Ø0.6/0.8	3 m	041592	Ø0.6 x0.8	3 m	041578		Ø0.6x0.8	4 m	039834	
	4 m	041837		4 m	044050			Ø1.0x1.2	4 m	039827
Ø1.0 1.2	3 m	041608	Ø1.0 x1.2	3 m	041585		Ø1.2x1.6	4 m	039810	
	4 m	041844		4 m	044067					

BOBINES DE FIL - Welding wire reels - Drahtrollen - Rollos de hilo- Draadbobijn - Bobines de fio

	kg			Ø 0.6 mm	Ø 0.8 mm	Ø 1.0 mm	Ø 1.2 mm	EXCELLIUM			NORMES - Norms - Normen - Norma		
								Ø 0.8 mm	Ø 1.0 mm	Ø 1.2 mm	AWS	EN	DIN
Acier - Steel - Stahl - Acero - Staal - Aço (SG2)	0.9	100 mm	—	086593	086609						AWS 5.18 : ER 70S-6	EN ISO 14341-A : G46 4M G3Si1	DIN 8559 : SG2
	5	200 mm	—	086111	086128	086135							
	15	300 mm	—	086166	086227	086234	086241		086302	086319			
	15	300 mm	—		086258								
Acier - Steel - Stahl - Acero - Staal - Aço (UHS5)	5	200 mm	—		086203						AWS/ASME SFA-5.28 : ER 120 S-G	EN ISO 12534 : Mn4Ni2, 5CrMo	
Galva (G2Ti)	5	200 mm	—	086760	086777						AWS 5.18 : ER 70S-2	EN ISO 14341-A : G42 2 M G2Ti	DIN 8559 : SG2
Alu (AlMg3)	2	200 mm	—				086517				AWS 5.10 : ER 5554	EN ISO 18273 : S Al 5554	DIN 1732 : SG-AlMg3
	7	300 mm	—				086500						
Alu (AlMg5)	0.5	100 mm	—		086548						AWS 5.10 : ER 5356	EN ISO 18273 : S Al 5356	DIN 1732 : SG-AlMg5
	2	200 mm	—		086555	086562							
	7	300 mm	—			086524	086531						
Alu (AlSi5)	0.5	100 mm	—		086685						AWS 5.10 : ER 4043	EN ISO 18273 : S Al 4043-A	DIN 1732 : SG-AlSi5
	2	200 mm	—			086142	086159						
Alu (AlSi12)	0.5	100 mm	—		086678						AWS 5.10 : ER 4047	EN ISO 18273 : S Al 4047	DIN 1732 : SG-AlSi12
	2	200 mm	—			086067	086074						
	7	300 mm	—				086043						
Cusi3 HLE - UHTS (Boron Steel)	1	100 mm	—		086692						AWS 5.7 : ER CuSi-A	EN ISO 14640 : S Cu 6560	DIN 1733 : SG-CuSi3
	5	200 mm	—		086647	086654		086210					
CuAl8 HLE - UHTS (Boron Steel)	5	200 mm	—		086661	086197		086210			AWS 5.7 : ER CuAl-A1	EN ISO 14640 : S Cu 6100	DIN 1733 : SG-CuAl8
	15	300 mm	—			086180							

GALETS - Rollers - Vorschubrollen - Rollen - Rodillos - Wielen - Roletes

	TYPE A		TYPE B			TYPE C	
		Ø 30 mm Ø 9 mm		Ø 37 mm Ø 9 mm			Ø 37 mm Ø 19 mm
	Carmig		Auto GYS - Autopulse 220			Neopulse - Autopulse 320	
Acier - Steel - Stahl - Acero - Staal - Aço Inox - Stainless	Ø 0.6 / 0.8	(x1) 042339	(x1) 042087	(x2) 042353	(x2) 041738		
	Ø 0.8 / 1.0	(x1) 041189	(x1) 042100	(x2) 042360	(x2) 042094		
	Ø 1.0 / 1.2		(x1) 042179	(x2) 046849	(x2) 042117		
	Ø 1.2 / 1.4				(x2) 039780		
Alu	Ø 0.8 / 1.0	(x1) 041196	(x1) 042155	(x2) 042377	(x2) 042148		
	Ø 1.0 / 1.2		(x1) 042186	(x2) 040915	(x2) 042162		
	Ø 1.2 / 1.6			(x2) 042391	(x2) 041776		

PINCE SPÉCIALE MIG/MAG-ORIGINAL FIX - Special MIG-MAG plier - Spezial MIG / MAG Zange - Pinza especial MIG MAG

PRO (x1) 041332

1)Clean 2)Cut 3&4)Prepare (contact tube & nozzle)

ADAPTATEURS BOBINES - Adaptors for wire reels - Korbspulenadapter

ALIGNER 200
Ø 200
042889

After sales

Press & Lock

Professional 71608
Industrial 71613


SUPPORT TORCHE MAGNÉTIQUE - MIG torch stand with magnetic base

041653

HELMETS

TEINTE
SHADE 9/13

EN 175-EN 379



TECHNO 9/13
042544




MASTER 9/13 G
IRON 038325
BONES 038318
LCD 040861



EXPERT 9/13 G
042216



EXPERT 9/13 G CARBON
040878



HERMÈS
SILVER 040908
RED 040885
GOLD 040892



PROMAX 9/13 G
VOLCANO 037205
SHARK 037199
SILVER 045774



ZEUS 5-9/9-13 G
INDIAN 038332
FIRE 044098
COSMIC 044104



ERGOTECH 5-9/9-13
SILVER 044173
BLACK 045477
DREAM 037212



SPACEVIEW 5-9/9-13
040717


LCD AUTOMATIC TECHNOLOGY	BASIC		PRO			PRO+		EXPERT	
	TECHNO	MASTER	EXPERT	HERMES	PROMAX	ZEUS	ERGOTECH	SPACEVIEW	GYSMATIC 9/13G
MODEL									
REF	042544	 (iron) 038325  (bones) 038318  (lcd) 040861	 (carbon) 040878  (blue) 042216	 (silver) 040908  (red) 040885  (gold) 040892	 (volcano) 037205  (shark) 037199  (silver) 045774	 (indian) 038332  (fire) 044098  (cosmic) 044104	 (silver) 044173  (black) 045477  (dream) 037212	 040717	043909
	0.30 ms	0.30 ms	0.30 ms	0.30 ms	0.25 ms	0.20 ms	0.20 ms	0.10 ms	0.08 ms
	4 - 9>13	4 - 9>13	4 - 9>13	4 - 9>13	4 - 9>13	4 - 5>9 / 9>13	4 - 5>9 / 9>13	4 - 5>9 / 9>13	4 - 9>13
	1/2/1/1	1/2/1/2	1/1/1/2	1/1/1/3	1/1/1/2	1/1/1/2	1/1/1/2	1/1/1/2	1/1/1/2
	92x42 mm	92x42 mm	98x43 mm	98x43 mm	100x49 mm	XL : 100x67 mm	XL : 100x67 mm	XXL : 100x93 mm	100x60 mm
	2	2	2	2	2	4	4 HIGH SENSITIVITY	4 HIGH SENSITIVITY	4 HIGH SENSITIVITY
		✓	✓	✓	✓	✓	✓	✓	✓
						✓	✓	✓	
	☀	☀	☀ + 2  (CR 2032)	☀ + 2  (CR 2032)	☀	☀ + 2  (CR 2450)	☀ + 2  (CR 2450)	☀ + 2  (CR 2032)	☀ + 2  (CR 2450)
	Simple	Simple	Simple	Simple	Simple	Multi	Multi	Multi	Simple
	440 g	460 g	540 g	520 g	460 g	560 g	560 g	540 g	580 g
BRAND MASK	<i>Tool-it</i>	<i>Top Arc</i>	<i>Tool-it</i>	<i>Tool-it</i>	<i>Tool-it</i>	<i>Tool-it</i>	<i>Top Arc</i>	<i>Tool-it</i>	<i>Gys</i>



OPTIONS



zoom x2




x1 042780

Loupe - Magnifying glass
for Zeus, Spaceview, Ergotech & Alien True Color


Sac pour masque de soudage - Carry bag for helmet welding
043299



Bandeau anti-transpiration - Antiperspirant headband (x2)
043466



VERRES - Lense - Schutzgläser

	110 x 90	x5	040816	116 x 89.5	x5	040779	111.2x91 115x 102	x5 + x5	040793	111.2x91 115x 102	x5 + x5	040793	226 x 106	x5	045781	114 x 133	x10	043893	114 x 133	x10	043893	114 x 133	x10	043893
	95.5 x 50.5	x5	040854	103.5 x 53	x5	040786	103.6 x 54	x5	040809	103.6 x 54	x5	040809	104 x 55	x5	040847	103.7 x 69.5	x5	043695	103.7 x 69.5	x5	043695	104 x 96	x5	043596
																			G : 106 x 66	x10	043886			
																			XL : 106 x 89.5	x 10	046825			

HELMETS

TEINTE
SHADE 5/9-9/13


EN 175-EN 379





Option

Sac pour masque
de soudage
- Carry bag for
helmet welding

043299



TRUECOLORS



NEW

NEW



ALIEN
TRUECOLOR XXL
037229

LARGE
PROTECTION



GYSMATIC
TRUECOLOR XXL
037236



Normal LCD screen

Truecolors LCD Technology

optrel®
swiss made

NEW



USB
charge




OPTREL
PANORAMAXX
037298

6x
Field of view

auto
shade

Shade level
2.5

x3 LCD
screens



x3 LCD
screens



PANORAMIC 3XL
037281

NEW

LARGE
PROTECTION

LCD AUTOMATIC TECHNOLOGY	XXL		OPTREL	PANORAMIC	EXPERT + AIR
MODEL	ALIEN	GYSMATIC	PANORAMAXX	PANORAMIC	GYSMATIC AIR
REF	037229	037236	037298	037281	047846
	0.15 ms	0.10 ms	0.05 ms	0.15 ms	0.10 ms
	4 - 5>9 / 9>13	4 - 5>8 / 8>13	2.5 - 5>12	3 - 4>8 / 8>13	4 - 5>13
	1/1/1/2	1/1/1/1	1/1/1/2	1/1/1/1	1/2/1/1
	XXL : 100x90 mm	XXL : 100x83 mm	125x58 mm	131x84 + 2x(67x75) mm	XXL : 100x83 mm
	4 HIGH SENSITIVITY	4 HIGH SENSITIVITY	5 HIGH SENSITIVITY	4 HIGH SENSITIVITY	4 HIGH SENSITIVITY
MEMORY & REGULATIONS					ELECTRONIC
	✓	✓	✓	✓	✓
	✓	✓	✓	✓	✓
	☀ + 2 (CR 2032)	☀ + 1 (CR 2450)	Rech. Lithium Battery	☀ + 2 (CR 2450)	☀ + 1 (CR 2450)
	Multi	Simple	Simple	Multi	Simple
	560 g	680 g	560 g	610 g	2.4 kg
BRAND MASK	Tool-it	Gys	Optrel	Tool-it	Gys

VERRES - Lense - Schutzgläser

	114 x 133	x10	043893	114 x 133	x10	043893	270 x 115	x5	037335	385 x 150	x5	037311	114 x 133	x10	043893
	104 x 96	x5	043596	106 x 89,5	x10	046825	145 x 65	x5	037342	Special kit (x3)	x5	037304	106 x 89,5	x10	046825



Filtration class
EN 12941 :
TH2 P R SL

Air 165 / 200 / 220 L/min
Battery included


GYSMATIC 5/13 AIR XXL
047846



Battery charger
037472



Battery included
037465



x1
038424



x5
038417

INDUCTION HEATING

1 Φ

HAND-DUCTION HEATING SYSTEM



MADE IN
HIGH
QUALITY
USA

Ergonomique et léger
- Lightweight and ergonomic design
- Leicht und einfach zu Bedienen

Refroidi air
- Air cooled - Luftgekühlt

Verrouillage facile des inducteurs
- Coil Twist Lock
- Einfaches Verriegeln der Induktoren

Éclairage LED
- Light LED
- LED zum Erhitzen des Blechs

1 000 W

with accessories ➔ EUR • 230 V :
056923

UK : 057371 (230V)
US : 057395 (110V)
AU : 057388 (230V)

L : 37cm • Ø : 8.2 cm • 2.54kg • 5A
40-80 KHz



INCLUDED

Spirale - Coil - Spiralförmiger draht	Fil tressé enroulable - Flexible wrappable wire - Flexibel geflechtener draht	Fil droit rigide - Straight rigid wire - Steif gerade draht
Ø 22mm (7/8 in.)	1 m (41 in.)	584 mm (23 in.)

PACKS GYSDUCTION AUTO

1 box

GYSDUCTION AUTO	GYSDUCTION AUTO	Plastic wedges 051294	Burn off Inductor Décapage - Burn off - Entfernen 053373	Body Inductor Démontage - Removal - Abkleben 053359	Bolt Inductor Dégrippage - Heating - Lösen 053366	Remote control Télécommande - Fußschalter 055490	Trolley Universal 800 051331	Cable support 052284	Dent pulling Inductor Débosselage - Dent pulling - Ausbeulinduktor 054776	Spiral inductor - Inducteur spirale - Spiralinduktor 054783
PROLINER AUTO 048775	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
COMPLETE AUTO 053380	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
COMPLETE AUTO + 056978	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
MECA AUTO 048812	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
MECA AUTO + 056961	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
BODY SHOP AUTO 048799	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
GLASS AUTO 048805	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
DENT REPAIR AUTO 054981	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐


GYSDUCTION AUTO

2 400 W

PFC



PFC POWER FACTOR CORRECTION



COMPLETE

1	Décapage - Glass - Entfernen 053373
2	Démontage - Decal - Entkleben 053359
3	Dégrippage - Bolt heating - Lösen 053366

Protections Options


1	2	3
Protection (x5) + Colle - Stick 053854	Protection (x1) + Colle - Stick 059108	Protection (x10) + Colle - Stick 053847

OPTION

Spray
refroidisseur
- Freezer spray
-50 °C
400 ml
(x 12)
048898



Adhesive for logo
(x10)
051492



Débosselage rapide et sans peinture
- Fast and paintless dent pulling
- Lackschadenfreies Ausbeulen
054776
Licensed by BETAG innovation



Spirale - Coil - Spiralförmiger draht	
Ø 18 mm 054806	
Ø 24 mm 054790	
Ø 30 mm 055469	
Fil tressé enroulable - Flexible wrappable wire - Flexibel geflechtener draht	
800 mm 054813	
Fil droit rigide - Straight rigid wire - Steif gerade draht	
800 mm 054868	

EN-60 335/1	MADE IN FRANCE	50/60 Hz	A	W	kHz	PFC	Liquid Cooling	Cable L (m)	Inductor	cm	kg
GYSDUCTION AUTO											
		230V, 1~	16	2 400	35+120	■	—	2	2.5	22 x 36 x 27	7.5



POWERDUCTION 37LG

3 700 W

liquid cooling

no accessories :
056992

OPTIONS

Option Chariot - Trolley
Universal 800
051331

Cable support for
Spot 800,
1600
& Workstation
052284



2 m

POWERDUCTION 39LG


3 700 W

PFC

liquid cooling

no accessories :
058583

PFC POWER FACTOR CORRECTION



3 m

POWERDUCTION 50LG


5 200 W

PFC

liquid cooling

no accessories :
055599

PFC POWER FACTOR CORRECTION



3 m

POWERDUCTION 160LG

16 000 W

liquid cooling

NEW
10/2018

no accessories :
057814



6 m

	37 LG	39 LG	50 LG	160 LG
	M10 : 1 s	M12 : 1 s	M14 : 1 s	M20 : 1 s
	2 mm : 5 s	2 mm : 5 s	2 mm : 3 s 4 mm : 5 s	2 mm : 2 s 4 mm : 4 s
	Ø10 : 15 s	Ø10 : 15 s	Ø10 : 10 s	Ø10 : 5 s

OPTIONS

CORAGARD CS 330 - 10l
Liquide de refroidissement - Cooling
liquid - Kühlmittel - Enfriamiento
liquido - Refrigeração líquida
052246

Colle-Stick bi-
composants
Power Epoxy
150°C
054851

37LG

39LG & 50 LG

160LG

 60335 MADE IN FRANCE				Freq.	INTEGRATED TECHNOLOGY		Cable L (m)				
	Hz	A	W	kHz	PFC	Liquid Cooling	Inductor	Inductor	cm	kg	
POWERDUCTION 37LG	230 V, 1~, 50/60 Hz	16 mini	3 700	15 +30	—	1.5l	2	2	—	45 x 28.5 x 25	15
POWERDUCTION 39LG	230 V, 1~, 50/60 Hz	16 mini	3 700	30 +50	■	7l	2	3	■	53 x 70 x 37	39.5
POWERDUCTION 50LG	230 V, 1~, 50/60 Hz	25 mini	5 200	30 +50	■	7l	8	3	■	88 x 59 x 59	70
POWERDUCTION 160LG	400 V, 3~, 50/60 Hz	32 mini	16 000	25 +40	—	30l	5	6	—	90 x 1015 x 60	150

INDUCTION HEATING SYSTEM

72

PLASMA CUTTER

1 Ø

EASYCUT 40

40 A

ALU 15 mm
INOX/STEEL 20 mm

with accessories:
029743


4m + 2m, 10mm²

NEW
09/2018


INCLUDED:
8mm

DIGITAL
(PRESSURE SENSOR)


PFC POWER FACTOR CORRECTION



AD ANTI-DUST VENTILATION CORRIDOR



FV FLEXIBLE VOLTAGE



Kompressor
INSIDE



CUTTER 25 K

25 A

ALU 6 mm
INOX/STEEL 8 mm

20 A on 13 A fuse

with accessories:
030947

MT25K, 4m + 2m, 10mm²

CUTTER 35 KF

35 A

ALU 10 mm
INOX/STEEL 15 mm

30 A on 13 A fuse

with accessories:
031036

MT35K, 4m + 2m, 10mm²

AIR FILTER



CUTTER 31 FV

30 A

ALU 8 mm
INOX/STEEL 10 mm

PFC FV

30 A on 13 A fuse

with accessories:
030985

MT45, 4m + 2m, 10mm²

CUTTER 40 FV

40 A

ALU 15 mm
INOX/STEEL 20 mm

PFC FV AD

30 A on 13 A fuse

with accessories:
031043

MT45, 4m + 2m, 10mm²

DIGITAL
(PRESSURE SENSOR)



RENAULT
www.renault-equipment.com



INCLUDED:
8mm
10mm



NEW
PERFORMANCES

ACCESSOIRES / ACCESSORIES



CONSUMMABLES / CONSUMABLES

	MT 25K	MT 35K	MT Easycut
x1 040199	x4 040182	x4 040229	x4 040236
	x10 040151	x10 040212	x10 040212
	x2 040175	x2 040175	x2 040175
	x10 040168	x10 040168	x10 040168
Coffret - Box	039971	039964	039957

Chariot/Trolley/Fahrwagen



Filtre déshumidificateur
spécial Plasma
- Compressed air cleaning filter
for Plasma Cutter 31/40
039728



Cartouche pour filtre
- Filter cartridge
039735

MADE IN GYS CHINA	50/60 Hz	A	I ₂	mm				INTEGRATED TECHNOLOGY				AIR SYSTEM			EN 60974-1 (40°C)		cm	kg	Protected & compatible power generator (+/-15%)
				Max Cut	Clean Cut	Acier/Steel	Alu	PFC	FV	AD	KOMPRESSOR INSIDE	mini	ideal	maxi	IA 60%	X% I2 max			
MADE IN FRANCE	230V 1~	32	10 + 40	20	15	15	10	—	—	—	—	2.5 bar	4.5 bar 115l/min	6.5 bar	10 (50%)	20	15 x 42 x 30	8	—
	CUTTER 25K	230V 1~	16	5 + 25	8	6	6	4	—	—	—	included			12	26	22 x 45 x 31	18.5	4.1 kW
	CUTTER 35KF	230V 1~	16	10 + 35	15	10	10	8	—	—	—	included			28	30	28 x 52 x 46	33	8 kW
	CUTTER 31FV	230V 1~	16	5 + 30	15	8	10	8	—	—	—	2.5 bar	4.5 bar 115l/min	9 bar	22	32	19 x 44 x 28	13	6 kW
CUTTER 40FV	110V 1~	32	5 + 30												19	25			
	230V 1~	16	10 + 40	20	15	15	10	—	—	—	—	2.5 bar	4.5 bar 115l/min	9 bar	32	40	21 x 51 x 37	21	8 kW
	110V 1~	32	10 + 30												25	40			10 kVA

COFFRET DE DÉCOUPE PARE-BRISE
- Professional Box Set for Windscreen Removal - Frontscheiben-Trennsystem für Akkuschrauberbetrieb




SYSTÈME DE DÉCOUPE PARE-BRISE A CLIQUET
- Windshield Cutting kit - Kit zum Lösen von Windschutzscheiben



OUTIL DÉCOUPE PARE-BRISE
- Windshield Cutting Tool - Windschutzscheiben-Ausglas-Set




COUPEAU PNEUMATIQUE DE DÉCOUPE PARE-BRISE
- Oscillating Pneumatic Saw for Windscreen Removal - Druckluft-Trennmesser für Windschutzscheiben




PROTECTIONS TABLEAU DE BORD
- Dashboard Protector - Armaturenbrett Schutz




EXTRACTEUR D'ESSUIE-GLACE - Removal tool for windscreen wiper arms - Wischerarm-Abzieher



VENTOUSES - Suction Lifting Pads - Saugnapfwerkzeug für Spiegelgläser



RENOV'POLYCARBONATE - Compressed air polisher - Druckluftpolierer




AGRAFEUSE POUR RÉPARATION PARE-CHOCS - Hot stapler for bumper repair - Stoßstangen Reparatur Kit

052925
US : 056947 (110V)

INCLUDED :
x20 x20 x20 x20 x20

MADE IN TAIWAN



PORTABLE
Sur batterie - Battery operated
058118

included
Li-ion battery 3.7 V
048669
included adapters :
EUR, UK, USA & AUS

INCLUDED :
Ø 0.6, x100 Ø 0.8, x100 Ø 0.6, x100

MADE IN TAIWAN



Adjustable

Charger included 048652

Agrafes - staples	 V Angle interne étroit - Inside corner Ø 0.7 mm	 U Alignement de fissure - Crack alignment Ø 0.7 mm	 N Fissure importante - Large crack Ø 0.7 mm	 W Angle interne - Internal angle Ø 0.7 mm	 M Angle externe - External angle Ø 0.7 mm				
	 x 100 047990	 x 100 047983	 x 100 047976	 x 100 047969	 x 100 047952				
	052413								
	x 50	+	x 50	+	x 50	+	x 50	+	x 50

KIT DE SOUDAGE DES PLASTIQUES - Welding Kit for Plastics - Kunststoff-Schweißset

1 600 W - 230V - 50/60 Hz
max. 230 l/min
1.3 kg / -L- Ø100 x 300mm,
poignée Ø 56mm.

3m


20mm

058231

057678

x10
052956

x1
25 x 12.5 cm
052949



ADHÉSIF BICOMPOSANTS POUR RÉPARATION PARE-CHOCS - Dual Component Bonding Gun for Plastic Repairs - 2-Komponenten-Klebekit für Stoßfänger

057685

120 s / 50 ml
included x2

30 s / 50 ml
Séchage rapide
- Fast dry
- Schnelltrockner
included x1

included 057692

included x10

120 s / 50 ml
057722
x 6
x 10

30 s / 50 ml
Séchage rapide
- Quick dry
057715
x 6
x 10

x 10
057708

PRIMER FLEX

Apprêt flexible pour
plastique & métal
-Flexible Primer
for plastic and metal

x12
059115



COFFRET DE RÉPARATION DES PLASTIQUES AUTOMOBILES - Brazing automotive plastics repair kit - Kunststoff Reparatur Kit

052932

052963

057258

x10
052956

25 x 12.5 cm - x2
052949

MADE IN BELGIUM



COFFRET DE PERÇAGE PARE-CHOCS POUR DÉTECTEURS - Piercing Kit for Bumper Sensors - Lochwerkzeug für Stoßfänger

BASIC
057739

x4
Ø 18,2 mm
Ø 26,0 mm

PRO
057746

x12
Ø 18,2 mm
Ø 18,4 mm
Ø 26,0 mm

PRO +
059139

Ø 17-18-18,2
19-20-22,5-24
26-26,7-32 mm



MADE IN
HIGH
QUALITY
GERMANY





KIT MARTEAUX ET TAS - Planishing Kit for Car Body (Set of 3 Hammers + 4 Dollys)
- Karosseriehammer & Handfaust Kit




057579




OUTILS DE FORME - Forming tools - Formgebungswerkzeuge

051195



BURINS - Hand Chisel for Car Body
- Meißel für Karosserie

057586




057593




JEU DE 4 BURINS EN NYLON
- Set of 4 nylon chisels - 4 Kunststoffmeißel

054745




OUTILS DE DÉGARNISSAGE ET RACLAGE - Set of 30 Tools for scraping/sanding and paint removal - Polster & Schaber Kit

057616



JAUGES DE PROFIL - Contour Gauge - Kontourenlehre

052840



057265



JAUGES DE POSITIONNEMENT - Gapping gauges - Spaltmaßlehre


x2
054752





OUTIL DE REMISE EN FORME
PASSAGE DE ROUE - Fender roller tool set

056701






PINCES DE MAINTIEN BORD À BORD -Positioning clamp - l-Stoß-Lehre

(x4)
043190



OUTIL DE POINÇONNAGE OBLONGS
- Oval hole punch - Länglochkarosserieblechzange



2.2 kg
MADE IN DENMARK
052437

REDRESSEUR DE CHARNIÈRE DE PORTE
- Fixed Hinge Bending Tool

051102


Redresseur de charnière de porte
- Door hinge straightener
- Türgelenkausrichter





PINCES AXIALES - Axial-grip pliers

050242




Type I Type J Type JJ Type W Type LL Type G

PINCES ÉTAU MONO SERRAGE - Lock-grip pliers

X 6 = KIT :
050112



KIT :
050266



X3 X3 X5 X5
= 16

MEULEUSE D'ANGLE - Long Handled Angle Grinder - Druckluft-Winkelschleifer

057753

Ø 100 mm

± 1.6 mm, x5
057883

± 0.8 mm, x5
058217



Speed		Air consumption	Air pressure	↔	
rpm	dB	l/min	bar	cm	kg
14000	84	113	6.2	37	17

MINI-MEULEUSE - Mini disc sander - Druckluftschleifer

051829



Speed adjustment

Ø 75 mm



Included
(x1)
052468

Speed	Power		Air consumption	Air pressure	↔	
rpm	W	dB	l/min	bar	cm	kg
18000	200	83	171	6.2	12	0.7


MINI-MEULEUSE À RENVOI D'ANGLE - Mini Angle Grinder - Mini-Druckluftwinkelschleifer geräuschgedämpft

051867



Ø 50 mm

90°



(x1) 052772

Speed	Power		Air consumption	Air pressure	↔	
rpm	W	dB	l/min	bar	cm	kg
15000	200	86	85	6.2	18	0.75

SCIE COUPE TÔLE DROITE ET LIME - Saw for Straight Cut and File - Druckluftsäge und Feile


051805



included
058750

(x5)
052789

Speed	Power		Air consumption	Air pressure	↔	
rpm	W	dB	l/min	bar	cm	kg
5000	—	85	255	6.2	10	0.8



PONCEUSE À BANDE - Air belt sander - Druckluft Bandschleifer

052819



(x10)
052833

Speed	Air consumption	Air pressure	↔	
rpm	l/min	bar	cm	kg
16000	171	6.3	26	0.9

MINI-FRAISEUSE À RENVOI D'ANGLE - Mini Angle Milling Machine - Mini-Winkelschleifer

051836



90°

Speed	Power		Air consumption	Air pressure	↔	
rpm	W	dB	l/min	bar	cm	kg
18000	500	81	85	6.2	18	0.7

PERCEUSE MANDRIN AUTOMATIQUE - Automatic Mandrel Drill - Druckluftbohrmaschine m. Schnellspannfutter

051799




Ø 13


Speed	Power		Air consumption	Air pressure	↔	
rpm	W	dB	l/min	bar	cm	kg
800	300	92	170	6.2	18	0.9

COFFRET DÉCAPEUSE PNEUMATIQUE - Pneumatic surface remover Kit - Druckluftentroster-Box inkl. Zubehör


051775




Roue gomme
115 x 14 mm
051874




Brosse souple
103 x 23 mm
052598




Roue à décaper
115 x 14 mm
051843



Brosse dure
103 x 23 mm
051812



Adaptateur
pour brosse
051768




Brosse souple
103 x 23 mm
051850

Speed	Power		Air consumption	Air pressure	↔	
rpm	W	dB	l/min	bar	cm	kg
4000	500	86	102	6.2	280	1.2

PINCE À SOYER ET À TROUVER, Ø5MM PNEUMATIQUE - Pneumatic flange / ø5 mm punching tool - Pneumatische Loch- und Absetzzange Ø 5 mm


052543



2 in 1

Ø 5 mm

0,8 > 1,2 mm



0,8 > 1,2 mm


POINÇONNEUSE PNEUMATIQUE OBLONG - Pneumatic oval punching tool - Pneumatische Langloch-Blechzange



053182



058651



2.2 kg

052437

OUTIL DE POINÇONNAGE OBLONGS - Punching tool for oval holes - Langlochkarosserieblechzange


for MIG brazing

included
6x20 53515
8x20 53516

DÉPOINTEUSE - Spot remover - Druckluft-Schweißpunktbohrer

SPOT DRILL
050464

HIGH
QUALITY



Included :
Tungsten Carbide for BORON/UHSS
ø8 (x1)

Forets de dépointage - Spot remover drill - Schweißpunktfräse
Tungsten Carbide for BORON/UHSS



3-edge

Ø 8 mm
053069

Ø 10 mm
053076



4-edge
Efficiency ++
Durability ++

Ø 8 mm
059849


NEW
09/2018



Speed	Power		Air consumption	Air pressure	↔	
rpm	W	dB	l/min	bar	cm	kg
800	400	85	140	6.5	35	2.3

DÉPOINTEUSE POUR CORDON LASER ACIER & ALU - Laser cord metal sheet cutter (nibbler) - Trennwerkzeug für Lasernähte

054165





STEEL
Included
054172

ALU
Included
054189

BODY ZIPPER - Sertisseuse pneumatique
Pneumatic Crimper - Druckluftkantenformer

056930

MADE IN
HIGH
QUALITY
POLAND



1) MINI

2) initial W

3) final M - x < 2.4mm

4) final D - x > 2.4mm

Air pressure	↔	
bar	cm	kg
5	28	2.1

TOURNEVIS SANS FIL

- Cordless Mini Screwdriver - Akkuschrauber



TOURNEVIS À CHOCS SANS FIL

- Cordless Impact Screwdriver - Akkuschrauber



VISSEUSE/DÉVISSEUSE SANS FIL

- Cordless Drill/Screw Gun - Akku-Bohr-Schrauber



RIVETEUSE SANS FIL

- Cordless Riveter - Akku-Blindnietgerät



PISTOLET À COLLE SANS FIL

- Cordless Caulking Gun - Akku-Kartuschenpresse



MEULEUSE/POLISSEUSE SANS FIL

- Cordless sander / polisher - Akku-Polier-Schleifer



PONÇEUSE /POLISSEUSE ÉLECTRIQUE

- Electric Sander & Polisher - Elektro-Polier-Schleifer



DETAILING & COLOUR MATCH


- Farbanpassung & Aufbereitung



LAMPES LED - LED Lighs - Arbeitsleuchte - Lámpara - Lampada - Werklamp



LAMPES LED - LED Lighs - Arbeitsleuchte - Lámpara - Lampada - Werklamp




ASPIRATEUR PNEUMATIQUE POUR POUSSIÈRES ALUMINIUM (ATEX)

- Pneumatic aluminium dust atex vacuum cleaner



DÉTECTEUR ÉPAISSEUR DE PEINTURE

- Film coating thickness gauge



BALADEUSE LED - Rechargeable 15W Portable LED Lamp with Magnetic Stand - LED-Akkuarbeitsleuchte

-



TRÉTEAUX - Frames support - Klappbücke

040601
100.5 x 112 cm - 5.5 kg
35 x 95 x 106 cm



Ø28 mm

4 pieds coudés
Idéal sur caillibotis
- Bent feet for grating
- Abgewinkelte Standfüße:
Sicherer Stand auf Gittern u.ä.

040311
104.5 x 117 cm - 8.1 kg
32 x 10 x 106 cm



4 ventouses
Dépose vitrages
- Suction pad for glazing
- Gummiteiler zur Fixierung
von Glasscheiben

Ø32 mm

040250
100 x 105 cm - 7 kg
32 x 10 x 106 cm



Ø32 mm

040304
104.5 x 108.8 cm - 8.1 kg
32 x 10 x 106 cm



Léger et très maniable
Spécial travaux à l'horizontal
- Light and easy to handle
- Ideal for horizontal works
- Speziell geeignet für Arbeiten
in horizontaler Position

Ø32 mm



18.5 > 132 cm

81 > 133 cm

86 cm

059818

NEW 06/2018

MADE IN HIGH QUALITY POLAND


Chainette réglable
- Adjustable catenary

Mousse de protection
- Protecting foam

Antidérapants
- Non-slip base

SUPPORT PARE-CHOC - Rotary element support Lackierständer für Stoßstange, einstellbar

052376
91 x 105 cm - 7.6 kg
60 x 11 x 75 cm



Adapté aux coques de rétroviseurs
- Adapted to wing mirror covers
- Geeignet für Außenspiegel

059825




106 x 104 x 215 cm - 32.5 kg
112 x 31.5 x 21.5 cm
+ 12 x 9.5 x 194.5 cm

50 cm

NEW 10/2018

059832
50 x 150 cm - 13 kg
152 x 15.5 x 11.5 cm




50 cm

NEW 10/2018

SUPPORT ÉLÉMENT ROTATIF - Rotary element support - Lackierständer für Stoßstange, einstellbar

052611
200 x 101 cm - 17.5 kg
35 x 15 x 110 cm
Made in China




1.5 mm

360°

2 mm

Verrouillage de l'axe - Locking of the axis
- Verriegelung der Achse


PRO
056725
200 x 105 x 81 cm - 22 kg
24 x 17 x 118 cm



MADE IN HIGH QUALITY POLAND

SUPPORT 4 JANTES - 4 wheels paint stand

059702
120 x 120 x 100 cm - 20 kg
90 x 33 x 16 cm



NEW 10/2018

CHARIOT DE LUXE MAROUFLAGE - Premium masking machine - Abdeckpapier-Ständer

x 5

rouleaux de papier
- Papierständer
- Paper roll

30 > 120 cm

057333
150 x 133 x 62 cm
32 kg
152 x 17 x 29 cm

Ø40 mm
x 6
058897

MADE IN HIGH QUALITY POLAND

CHARIOT DE MAROUFLAGE - Masking machine - Abdeckpapier-Ständer

x 3

rouleaux de papier
- Papierständer
- Paper roll


30, 60, 90 cm

056954
150 x 62 x 110 cm
- 12 kg
122 x 29 x 17 cm

MADE IN HIGH QUALITY POLAND

CHARIOT DE STOCKAGE - Storage trolley - Lagerrollwagen


040243




71 x 90 x 197 cm
41 kg
x2:
90 x 6 x 147 cm
+ 97 x 74 x 24 cm

TIGES DE BLOCAGE - Flap Lock

056732



30 > 115 cm



TABOURET - Round Stool with Tool Storage - Werkstatt-Rollhocker

057555
38 x 38 x 44 cm - 6 kg
40 x 40 x 18 cm



CHARIOT DE VISITE - Mechanics Creeper With Tilting Headrest - Werkstatt-Rollliege

057548
102 x 43 x 11 cm
7.2 kg
11 x 44 x 13 cm



LÈVE ROUE SUR BATTERIE - Wheel lift trolley with battery - Radmontage-Heber mit Akkubetrieb

058545
98 kg
66 x 69 x 172 cm
80 x 80 x 180 cm - 112 kg



2 x 12 V/12 Ah
Integrated charger (16 A)

35 > 340 mm max

500 > 800 mm


60 kg max

400 mm

130 mm

MARCHE PIED - Folding Step Stool (Aluminium) - Arbeitspodest klappbar

ALU 200 kg




960 mm

385 mm

475 mm

057562
8.2 kg
102 x 41 x 59 cm

ALU 150 kg



1090 > 1750 mm

520 > 900 mm

300 mm

058552
15.5 Kg
116 x 43 x 17 cm - 16.5 kg

COUVERTURE ANTI-CHALEUR - Heat cover - Hitzeschutzdecke - Manta anti-calor - Protecção anti-aquecimento

PROTEC 550
550°C/1000°F - **Class M0**
2 m x 2 m - 580 g/m²
050495

PROTEC 1200
1200°C/2200°F - **Class M0**
1.75 m x 1.5 m - 1200 g/m²
050204

PROTEC 1300
1300°C/2400°F - **Class M0**
XL : 2 m x 1.8 m - 620 g/m²
053595

PROTEC 1300L
1300°C/2400°F
XL : 2 m x 1.8 m - 427 g/m²
060500

JEU DE 2 AIMANTS
- Set of 2 magnets -
Schweißmagnet

(x2)
052291

RIDEAU DE SOUDAGE
- Welding curtain and frame - Schweißerschutzwand

OPTI 215.O
Orange CE - 2 x 2.15 m
EN 25980 - 2015/01
060470

OPTI 200G
Green T9 - 2 x 2 m
EN 25980 - 2015/01
060463

LUNETTES DE PROTECTION - Protection goggles - Schutzbrillen

Shade/IR0
042865

Shade/IR5
042841

Shade/IR0
047778

Shade/IR0
047792

MASQUES RESPIRATOIRES - Respiratory masks - Atemschutzmaske - Máscaras respiratorias

FFP3 - EN 140 / EN 143 / EN 166
(x1) Size M/L
037021

FFP3 - EN 140 / EN 143
(x1) Size M/L
037014

Étui / Case
037045

FFP3 - EN 143 : 2000 P3
Anti poussières / Anti odeurs
037038

FFP1
(x20) EN 149-2001
043916

FFP2D-OV
M/L (x5) EN 149-2001
043923

VESTE - Jacket - Jacke

98% cotton, 2% antistatic
S (40/42) 046313
M (44/46) 046320
L (48/50) 046337
XL (52/54) 046344
XXL (56/58) 046351

98% cotton, 2% antistatic
S (40/42) 046368
M (44/46) 046375

L (48/50)
046382
XL (52/54)
046399
XXL (56/58)
046412

PANTALON - Trouser - Hose

TABLIER CUIR MULTI-USAGE
- Multi-use leather apron -
Delantal de cuero multi-uso -
Mehrzweck-Lederschürze

PRO
045217

GANTS - Gloves - Handschuhe - Guantes

Heavy Duty
T10 (MIG - Plasma)
045101

Gants de soudage
Renforcés
Reinforced
welding gloves :
T10
045873

Gants Manutention
Anti-coupeure
~ Anti-cut handling
gloves :
EN388:4343
T9
045897

Anti coupeure haute
résistance - High
resistance anti-cut
handling gloves :
EN 420
EN 388:3131
T9 :
045910

Anti coupeure haute
dextérité - High
precision anti-cut
handling gloves :
EN 388:2003
T9 :
045903

T10 :
045927

T10 :
045934

ASPIRATEURS DE FUMÉE - Fume Extraction Systems - Rauchgasabsauggerät

Automatic ON/OFF
Manual 043237
150 A, 3m, Grip 043251

230V / 1 ~ / 50 Hz
2 x 1000 W
AUTOMATIC ON/OFF
039896

EVO 2.1
• 230V / 1 ~ / 50 Hz - 32A
• 1100 W
• 1200 m³/h max
• arm 3 m
• included
• 85 kg
046474
Breveté - Patented
Welding detection
Automatic ON/OFF
230 V connection
792 mm
347 mm
Filtre - Filter (included) 046498

UNI 2.0
• 400V / 3 ~ / 50 Hz
• 1100 W
• 1300 m³/h max
• arm 3 m
• no plug
• 100 kg
046443
856 mm
506 mm
835 mm
Filtre - Filter (included) 046467

BATTERY SUPPORT UNIT (BSU)
BATTERY CHARGER

MADE IN FRANCE

10.5 cm

CHARGE

DIAG +

SHOWROOM

CONNECTOR SHOWROOM Ø M6

AUTO
DETECT

MICRO-PROCESSOR
CONTROL

Protection
for on-board
electronics

TECHNOLOGY & ADVANTAGES

100%
50% de gain de temps
+ batterie chargée à 100%
50% of time saved
+ battery 100% charged
50% Zeitersparnis
+ 100% Vollladung
ahorro de tiempo de 50%
+ batería cargada a los 100%

HIGH EFFICIENCY
Up to 15%
Energy Saving
93%

EMC class B

PFC
POWER FACTOR
CORRECTION

EASY MODE

FAN LESS
TECHNOLOGY

SULPHATED
BATTERIES
AUTOMATIC
RECOVERY

VALISE DE CHANTIER / HEAVY-DUTY CASE /
HARTSCHALENKOFFER

060432
↳ 21 x 43 x 57 cm / 3.9 kg

IP67

TABLETTE / WALL SUPPORT / WANDHALTERUNG

055513

CHARIOT - TROLLEY - FAHRWAGEN

029491


EXTENSIONS CABLES

Gysflash 30/40/50/100/102
5 m - 16 mm²
054615
8 m - 16 mm²
056572



GYSFLASH 102.12 **PFC**
100 A 12 V

029606



A COMPLETE RANGE
for 200 > 240 V MONO / TRI
50/60 Hz

DÉBOSSSELAGE - Dent pulling - デントプラー

GYSPT 2600 page 6	2700 page 6	39.02 page 7	PRO 230 page 8	EXPERT 200 page 9	ALU PRO FV page 10	ARC PULL 200 page 11	COMBI 230 PRO page 12
-----------------------------	-----------------------	------------------------	--------------------------	-----------------------------	------------------------------	--------------------------------	---------------------------------

SOUDURE PAR POINT - Spotwelding - スポット溶接

GYSPT BP.LCX-s7 220 V page 44	GYSPT EVOLUTION PTI-s7 220 V page 45
---	--

RIVETAGE - Riveting - リベット打ち

GYSPT 8t page 50	GYSPT PUSH PULL page 51
----------------------------	-----------------------------------

MIG/MAG TRADITIONNEL
- Traditional MIG/MAG
- ミグマグトラディショナル

M1GYS AUTO T1GYS AUTO DV page 56	M3GYS AUTO T3GYS AUTO DV page 56
--	--

MIG/MAG INVERTER PULSÉ
- ミグマグハルスインバーター

NEOPULSE 300 & 300-T2 page 60	AUTOPULSE 220-M3 page 62
---	------------------------------------

CHARGEUR
- Battery charger - バッテリーチャージャー

GYSFLASH 50.12 FV page 89

DÉCOUPAGE PLASMA
- Plasma cutting
- プラズマカッター

CUTTER 31 FV page 74	CUTTER 40 FV page 74
--------------------------------	--------------------------------

INDUCTION
- インダクション

GYSDUCTION AUTO page 71



INDIAN CAR MANUFACTURER APPROVALS / COMPLIANCE

OEM - CARS													OEM - TRUCKS		
	SUZUKI	HONDA	DAEWOO	TOYOTA	MERCEDES	RENAULT	FIAT	VOLKSWAGEN	FORD	NISSAN	JAGUAR	LAND ROVER	TATA	MAHINDRA	EICHER
DENT PULLER															
GYSPT 39.02															
SPEEDLINER															
GYSPT ALU FV															
SPOT WELDERS															
GYSPT 32D															
GYSPT INVERTER BP-MS/LX/LC/LQC															
GYSPT EVOLUTION PTI-s7															
MIG / MAG															
T1 GYS AUTO															
T3 GYS AUTO															
NEOPULSE															
PLASMA															
CUTTER 25K															
CUTTER 31FV															
INDUCTION															
GYSDUCTION AUTO															
BATTERY CHARGERS															
TOOLS & TROLLEYS															



Formations agréées
Ref. 52 53 0068153

Centre de formation agréé
Training centre dedicated to professionals
Trainingcenter für Profis

MADE IN FRANCE
SINCE 1964

🇫🇷 GYS France (HQ)

BP 4159
53941 Saint-Berthevin
ZI, 134 bd des Loges
Laval - France

Tel : +33 2 43 01 23 60
E-mail : contact@gys.fr

🇩🇪 GYS Germany

Professor-Wieler-Straße 11
52070 Aachen
Deutschland

Tel : +49 241 / 189-23-710
Fax : +49 241 / 189-23-719
E-mail : aachen@gys.fr

🇬🇧 GYS UK

Unit 3
Great Central Way
Rugby - Warwickshire - CV21 3XH
United Kingdom

Tel : +44 1926 338 609
Fax : +44 1926 429 764
E-mail : uk@gys.fr

🇮🇹 GYS Italia

Vega - Parco Scientifico Tecnologico di Venezia
Via Delle Industrie, 25/4
30175 Marghera - VE
Italia

Tel : +39 041 53 21 565
E-mail : italia@gys.fr

🇨🇳 GYS China

Lot N°15
6666 bd Songze
201706 Qingpu Shanghai
China


Tel : +86 6221 4461
Fax : +86 5226 0067
www.gys-china.com.cn
E-mail : contact@gys-china.com.cn

www.gys.fr

Videos



Distributed by



Document non contractuel. GYS se réserve le droit de modifier sans préavis les spécifications de ses appareils - Document not contractual.
GYS reserves the right to modify the specifications of the machines without prior notice. Irrtümer und Änderungen vorbehalten.